

Specializing in Mechanical Fuel Injection
& Supercharged Applications

Vol. 31



Good Vibrations

VIBRATIONS

MOTORSPORTS

Whittier, CA



www.DragParts.com



800.576.7661



WE SHIP
WORLDWIDE!

Smart Phone &
Tablet Friendly
(See Inside Cover)

At Good Vibrations Motorsports we strive to provide high quality performance products at discount prices without sacrificing customer service.

This Catalog is Smart Phone & Tablet Friendly !!



Why Scan the QR Codes?

- * Order Online
- * Current Prices
- * Specifications
- * Options (Color, Sizes, etc..)
- * Technical Tips
- * How-To-Videos
- * Discounts & Promotions!
- * Download Digital Catalog
- * **And Much, Much More....**

How to scan a QR Code?

Use the Camera on your Smart Device or download an App. It's that Easy!



We ship Domestic and International Daily.

Our freight costs are very reasonable and competitive.



How to Contact Us



Orders... **800/576-7661** E-mail.... **sales@DragParts.com**

Tech/BS **562/945-7669** Web..... **GoodVibrationsRacing.com**

Ship & Snail Mail: 8858 Painter Ave, Ste. E, Whittier, CA 90602 USA

Why Buy From Good Vibrations?

*** Prices**

Never pay Retail. All products are generously discounted.

*** Quality**

We sell premium quality products only.

*** Technical Support**


No Question is too tough.

Deal directly with enthusiasts that speak your language.

*** Promptness**

98% of orders are shipped the same day :-)))

GUARANTEED Ground Shipping Time
Or your money back!



We also Ship International Daily!

Major Events



Auto Club Famoso Raceway

Keystone Raceway Park



Sponsored by:



Telephone Orders

Open between 6am - 5pm (PST) Mon-Fri. Also online at: GoodVibrationsRacing.com. Most orders are processed and shipped within 24 hours. UPS, DHL & USPS are the methods of shipping unless otherwise specified. Domestic UPS Ground is approximately 1-4 business days, depending on your location. Faster service is available (See chart on left page).

Payment Policy & Returns

Orders can be Paid by Amer Express, Mastercard, Visa, Discover credit/debit cards or Paypal. No reasonable return will be refused though cancelled orders and returns can be subject up to a 20% restock fee. A copy of the original should accompany all returns within 30 days of the original purchase date.

A RMA number is required for returns.

Freight & Shipping

All shipments are shipped freight prepaid unless other arrangements are made. All shipments are fully insured. If your shipment is damaged, save all packaging material and contact the freight carrier immediately.

Prices & Specifications

California Sales are subject to state sales taxes.

All prices are subject to change without notice.

Shortages or Discrepancies

All shortages or discrepancies must be reported within 10 days from receipt of shipment. Please include invoice number and date of receipt.

Warranty

THIS MERCHANDISE IS INTENDED FOR OFF-HIGHWAY USE, MAINLY RACING. THE EFFECTIVENESS WARRANTY AND LONGEVITY OF THIS EQUIPMENT ARE RELATED DIRECTLY TO THE MANNER IN WHICH IT IS INSTALLED, USED AND /OR MAINTAINED. WE CANNOT BE RESPONSIBLE FOR THE QUALITY OF INSTALLATION, AND WE ARE NOT RESPONSIBLE FOR DAMAGE OR INJURY, DIRECT OR CONSEQUENTIAL, LOSS OR CASUALTY WHICH MIGHT RESULT FROM CIRCUMSTANCES BEYOND OUR CONTROL.

Some products carry the manufacturers warranty.

Not for sale or use on pollution controlled vehicles

Fuel Injection	4-13
Linkage-Cables	14-15
Supercharging	16-25
Bearings-Rings	26-27
Valve Covers-Pit Mat	28-29
Steering - Brakes	30
Tabs - Rod Ends	31
Starters	32
Safety Product	33-37
Specialty Tools	38-41
Hose & Fittings	42-47
Gaskets	48-51
Gear Drives	52-53
Oils & Lubes	54-55
Magnetos	56-58
JAZ Products	59
Oil Systems	60-62
Neat Stuff	63



phil. 4: 6-7






FREE Catalog!

800/576-7661

Good Vibrations Motorsports is the Largest Dealer in the World of Enderle Fuel Injection products!!



Blown Injection



Prices & Options!



Blower Injectors are complete with:
Polished hat, Barrel Valve, Fuel Lines (Rubber or SS), Nozzles & Bodies, Check Valve, Distribution Block & Bypass Pills, Instructions.

- E-1001 Bugcatcher *Gas*
- E-1002 Bugcatcher *Alky*
- E-1003 Birdcatcher *Gas*
- E-1004 Birdcatcher *Alky*

Injector Assemblies are set up *FREE* per customer application !



Butterfly Options!

3-Rib Nostalgia Bugcatcher *It's Back!*

This cool injector is nearly identical to the original Bugcatcher of days gone by. Has the three ribs on the top rear. Ideal for that nostalgia look.

- E-4005F Partial Hat
- E-1002F Complete Assy



Injector Hat - *Partial*

Includes:
Polished Hat, Shaft, Stops, Double Arms and Butterflies.




- E-4005 Bug
- E-4006 Bird

Injector Hat Filter Assembly

*Sand Drags * Mud Bogs
Tractor Pullers*

Keeps rocks and debris out of your engine & blower

Sizes: 5, 7 & 10"



Kit includes:

- Outerware
- **Billet** Aluminum Housing
- SS Quick Disconnect Pins
- Mounting Hardware
- Reusable Filter element



- Birdcatcher ... **\$349**
- Bugcatcher ... **\$379**
- Filter Only **\$ 79**
- Cleaner-Oil .. **\$ 15**
- SS QR Pin **\$ 19**

- Big & Ugly ... **\$ 395**
- Filter Only **\$ 99**

Customer's Ride



Steve Strell
Mission BC
Canada

Outerware Colors:

(Red, Orange, Blue, Black, Purple)



Professional
Products
at Sportsman
Prices!



Injector Hats

Fuel Injection⁵

800/576-7661

Big & Ugly (BAU)



Polished Aluminum

Complete Assembly

Includes: Hat, Barrel Valve, Fuel Lines, Nozzles & Bodies, Check Valve, Dist Block & Bypass Pills.

- E-BAU-3-36 3 9/16" or 4 3/8"
- E-BAU-1-5 5" or 9/16"



Prices & Options!

Partial Assembly

Includes: Polished Hat, Shaft, Butterflies, Stops & Arms.

- E-BAU-3SB-36 3 9/16" or 4 3/8"
- E-BAU-1-SB-5 5" or 5 9/16"

4 Butterfly Sizes:
3 9/16, 4 3/8, 5 & 5 9/16"
Weight 16lbs, 2 Heights: 8.3" Tall or 10.5"

Aluminum Injector Hat is Enderle's replica of the original carbon fiber hats. It has a highly luster polished finish and billet front.



Progressive Linkages

Need Partial Throttle?

Allows better partial throttle by opening just one butterfly first. The other butterflies are then opened progressively.

- E-BAUPLA Installed on new hat
- E-BAUPL1 Retrofit existing hat

Carbon Fiber Look



Most Injector Hats are now offered in a Carbon Fiber Dip! The strength of Aluminum and cool look of Carbon.

Yes, you can have the best of both!

3-Hole BILLET Upright Injectors



Ideal for:
*Tractor Pullers
Mud Buggers*

Fits Blower or Tunnel Ram
Billet Aluminum
Anodized Black

E-BAU-5-5-B



Need some FREE Tuning Advice?

Call upon the Good Vibrations team. They have won an unprecedented 6 CIFCA Championships. And they are eager to share their knowledge and experience with you.

Same Day, Low Cost
Fast Worldwide Shipping!



Billet Spur Gear Fuel Pumps



CW or CCW * Bolt-on or QR Collar * BILLET Construction * Stainless-Steel Bolts

SMALL Twin Spur Gear

- E-SG480 4.4 gpm *From*
- E-SG570 5.7 gpm *\$688*
- E-SG750 7.6 gpm
- E-SG830 8.5 gpm
- E-SG960 9.5 gpm



LARGE Twin Spur Gear

- E-SG2-810 14.0gpm
- E-SG2-980 16.3gpm
- E-SG2-1080 18.4 gpm
- E-SG2-1190 19.2 gpm
- E-SG2-1250 20.2 gpm *From*
- E-SG2-1365 22.0 gpm *\$1495*



AN8 Female Fittings

Female AN10 Out/ AN16 Inlet



Spur Gear Fuel Pumps



Complete

Billet **Gear** pumps are CNC machined to perfection and are type III hard coat anodized for durability. These pumps can be cam driven (CW rotation) or belt driven off the crank (CCW rotation). Utilizes a 3/8in hex drive shaft. Outlet and inlet fittings are interchangeable. Pumps have the ability to be mounted with the standard 4-bolt pattern or with a quick-release flange (sold separately).

COMPLETE: Pump, Inlet & Outlet Fittings, 3-way Shut-Off Valve and Q.R. Clamp.



- AER-11134 16gpm (Alky or Nitro)
- AER-11935.C 21.0gpm. FC Complete
- AER-11940 20.9gpm. NHRA Nost FC
- AER-11940.C 20.9gpm. FC Complete
- AER-11941 20.0gpm. NHRA Dragster
- AER-11941.C 20.0gpm. Dragster Complete
- AER-11735 Quick-Release Flange
- AER-11736 3 & 4 Bolt Flange
- AER-11741 Shut-Off Valve *Alky*
- AER-11743 Shut-Off Valve *Nitro*

Prices & Options



Compatible to Enderle's 80A-1

In & Outs: AN10



AER-11107 6.8gpm

Inlet: AN16 or 1.25
 Outlet: AN12



ATOMIC
 Compatible to Enderle's 110

AER-11117 11.4gpm



Billet G-Rotor Fuel Pumps

Fuel pumps are flowed and compatible with all fuels.

Billet **G-Rotor** Gear pumps are CNC machined to perfection and hard anodized for durability. Cam driven (CW) or belt driven off the crank (CCW). Utilizes a 3/8 hex drive shaft and can be rotated after mounting.



Inlet & Outlet Fittings
Includes: SS bolts & O-rings

- AER-11745 Female AN8
- AER-11746 Female AN12
- AER-11747 Male AN16
- AER-11748 Male 1.25 Barb



BILLET Y-Blocks
 Anodized Black
 Corrosion Resistance
 Compatible with all fuels

- AER-15673 AN8-6
- AER-15674 AN8-8
- AER-15675 AN10-8
- AER-15677 AN12-8





BILLET Pumps Gear-Rotor (Flowed)

Pumps are *Coated* inside. Cam or Belt Driven



These pumps *replace* the original Cast housing pumps.

- E-30-80B-00 80A-0 (4.5 gpm)
- E-30-80B-05 80A-5 (5.5 gpm)
- E-30-80B-10 80A-1 (7.4 gpm)
- E-30-110B-05 760 (11.4 gpm)
- E-30-110B-10 110 (13.4 gpm)
- E-30-110B-15 990 (15.7 gpm)
- E-30-110B-20 1100 (17.2 gpm)
- E-30-110B-22 1200 (19.2 gpm)

Pump Components

- E-2000C 3-Hole Collar
- E-3000C 4-Hole Collar
- E-88011 11mm Bearing
- E-6002 ZZ 15mm Brng
- E-114HC-11 .433 Seal
- E-114HC-15 .590 Seal
- E-PS-15 .590 Seal -New



Fuel Pump Exts

3pc Billet Aluminum
 360 Degrees Adjustable
 Internal Shaft & Bearing



Billet Alum!

Lengths:
 2 - 6 inches
 1/2" increment

Standard Ext from **\$132**
 Quick Release from **\$162**
 FI-2315 SS Clamp **\$43**
 FI-2313 Billet Clamp **\$145**

Pump Belt Drive

Allows one to drive the fuel pump off the crankshaft. Required if your water pump blocks access to the cam.

- E-5011 SBC
- E-5010 BBC
- E-5012 SBF
- E-5014 BB Mopar
- E-5014A Blown
- E-5015 BBF

From.. **\$315**




Stainless Steel Pump Loop Lines

Pre-bent stainless steel loop lines are designed to return fuel to inlet of pump.

- E-110SOT6 110 Shutoff using a tee (shown)
- E-110HS6 110 High Speed
- E-110SO6 110 Shutoff
- E-80AHS6 80A High Speed
- E-80ASO6 80A Shutoff
- E-80ASOT6 80A Shutoff using a tee
- E-LOOP-AN6 AN6 K-style B/V (shown)



Pump Inlet Fitting with Returns.



Complete Loop Kits from \$75



Billet Fuel Logs

Mounts to the side of Shutoff Valve.



Routes three AN6 returns. Side or bottom outlet.

Routes four AN6 returns into one outlet. Accepts "Screw-In" style bypass pills.

3-Way Fuel Shutoff Valve

Adjustable 360 Degrees and includes Arm & Fittings.

Mandatory on Enderle pumps

Shutoff Valve

- E-85110 AN6
- E-85210 AN8
- E-85310.12 AN12
- O-Ring/ Seal Kit
- E-85103 AN6 **\$14**
- E-85203 AN8



Also in stock for Nitro.

S/O Bracket Kit

- E-80ABR 80A Pumps **\$36**
- E-110BR 110 Series

Over-Center Spring Bracket Assy

This bracket setup will hold the Enderle shutoff valve positively in the ON position until it is turned off manually.

Includes: Billet Alum Bracket, SS Spring, Bolt & Nut.

- FI-5140 AN6 S/O
- FI-5142 AN8 S/O
- FI-5144 AN12 S/O





FREE Catalog!

800/576-7661

Premium Fuel Injection Components



Prices &
Vast
Selection



E-4013 * 4014 * 4103CF

- E-4013 Bugcatcher Butterfly
- E-4014 Birdcatcher Butterfly
- E-4103 Buzzard Butterfly
- E-4103CF Big/ Ugly Butterfly
- E-4011 Small Serrated Arm BILLET
- E-4011A-5/16 Double Serrated Arm Bug
- E-4011A Double Serrated Arm 7/16 Bird/Buzz/BAU
- E-4011A.44B Double Serrated Arm 7/16 BILLET
- E-4011B Long Double Serrated Arm Bird/Buzz
- E-4012.31B Throttle Stop Bug 5/16 BILLET
- E-4012.44B Throttle Stop 7/16 Bird/Buzz/BAU BILLET
- E-4012TS Throttle Stop Thumb Screw
- E-4026 Barrel Valve Linkage Turnbuckle Assy



E-4026

E-4012.31
E-4012.44B

E-4011A.44B

E-4011

E-4011A

E-4011B



E-5004



E-5004B.BLK



E-5003

- E-5001 SB Chevy Cast Alum Front Cover
- E-5002 SB Chevy Front Cover Seal
- E-5003 SB Ford Cast Alum Front Cove
- E-5004 BB Chevy Cast Alum Front Cover
- E-5004B.BLK BB Chevy BILLET Alum Front Cover
- E-5008 Chevy Hex Drive Assembly
- E-5005A 426 Hemi Hex Drive
- E-4009 Bugcatcher Shaft
- E-4010 Birdcatcher Shaft
- E-4102 Buzzardcatcher Shaft
- E-4102CF Big & Ugly Shaft
- B-5019 Hat Injector Stud & Nut Kit (4pc)

E-5005A

E-5008

E-4010

B-5019

Fuel Distribution Blocks

Blocks feature a black billet aluminum housing and includes fittings. Machined for use with a primer check valve.

- E-4027VW Block w/ 4 fittings
- E-4027 Hat Block w/ 8 fittings
- E-4028 Port Block w/ 8 fittings
- E-4028A Port Block w/ 12 fittings



Injector Hat & Port Line Sets

- E-855 Crimping Tool **\$239.99**
- E-DFL03 3/16 Hose **\$2.49**
- E-620 3/16 Ferrule ea. **\$.65**
- E-KFO3 Str Hose End ea. **\$3.99**
- E-KFO3-90 Hose End **\$16.99**
- E-KFO3-90 Hose End **\$16.99**

Assembled Line Sets (Set of 8)

- E-4031 Hat SS
- E-4034 Hat Rubber **From**
- E-4036 Port SS **\$35**
- E-4035 Port Rubber



*Rubber or
Stainless-Steel*

Complete Port Kits



Complete with:

Nozzle Jets and Bodies, SS Lines (or hoses), Dist Block & AN8 Check Valve.




Available: Rubber Hoses or Stainless Steel

Need a Tune up? Call or email us.

Billet Aluminum Y-Blocks

Billet Aluminum
Black Anodized
Single Inlet
Dual Outlets
Fuel or Oil



- FI-2110 AN8-6
- FI-2112 AN10-8
- FI-2114 AN12-12
- FI-2116 AN12-10
- FI-2116 AN12-10

Gas - E85 - Alky - Nitro From \$55

Check Valves



Brass check valves feature a one-way, spring-loaded poppet design. PSI is varied by springs and shims.

- E-6001 AN6 Check Valves
- E-6010 AN8 Check Valves
- E-7133 Primer Check Valve AN4
- E-6007.KIT AN6 Spring & Shim Kit
- E-6015.KIT AN8 Spring & Shim Kit





Large Selection
Discounted Prices

800/576-7661

Bypass Pills, Nozzle Jets, Holders

Enderle **Bypass Pills** are the "Screw-In style" and are designed to divert fuel away from the engine. The larger the pill, the leaner the mixture.



Install pills without damaging. Stores 8 pills.
E-7009.SD Driver.. **\$35**



Sizes:
.020 to .209

E-7009 .. Bypass Pill



Hi-Speed kit .050-.095

Alum storage holder is a convenient place to store up to 40 bypass pills.

E-7010 Holder .. **\$18**

Enderle **Nozzle Jets** are the "Screw-In" style



d



a



b

Brass or Aluminum

Anodized aluminum storage holder is a convenient and safe place to store up to 60 jets.

Sizes: .016 to .110

- a. E-7007 Brass Nozzle Jet
- a. E-7007A Flowed Nozzle Jet
- b. E-7121A Port Nozzle Body
- b. E-7130A Ball Check Port Body
- c. E-7110A Top Nozzle Body
- d. E-7011 Jet Storage Holder



c



Bob Hawkins

On-Board Self Primer System

Special 4psi check valve controls fuel.
Choice: Stainless-Steel or 1qt Poly tank.
Prime mechanical fuel injection from inside the driver's cockpit.




Kit Includes

- Fuel Cell
- Primer Check Valve
- 5' Premium Hose
- Hose Fittings



- FI-5134 System w/ 12 Volt pump & Poly tank
- FI-5135 System w/ 12 Volt pump & SS tank

Injector Hat Spacer & Adapters



Black Add \$25

Billet Adapter

Allows one to bolt a smaller hat (13.25" bolt pattern) to a large blower (15.25" bolt pattern).

- E-BS2 2in Injector Spacer
- E-BS3 3in Injector Spacer
- B-9055 Billet Hat Adapter
- B-6019 Hat Stud Kit



Polished Spacers

Height: 2 or 3"
C-C: 13.25"

Includes Hardware

Hi-Flow Adapter

Machined from billet aluminum & o-ringed. Accepts Enderle or Hilborn hats & carb adapter plates. 2" high & 3" forward offset for improved airflow.



New!



- B-9058 Polished
- B-9059 Anodized Black

Includes O-ring and Mounting Hardware !



Same Day, Low Cost
Fast Worldwide Shipping!

800/576-7661

Barrel Valves

Enderle Barrel Valves can be used on Gas, E85, Alky, Nitro.

Available for Blowers & Naturally Aspirated.



- E-MVORM O-Ring Kit (Specify Style)
- E-4018 Gas Metering Piston
- E-4018-32 Tunnel Ram Metering Piston
- E-4019 Alcohol Metering Piston
- E-4020 Nitro Metering Piston K-Style
- E-4020A Alky Metering Piston K-Style
- E-4023 Barrel Valve Assy Square-Style Alky
- E-4024A Barrel Valve Assy K-Style Alky
- E-4024A.PSI Barrel Valve Assy K-Style PSI



Barrel Valve Leakdown

- * Block off all injector lines & returns except for hat nozzles
- * Connect dual gauge tester to outlet of compressor
- * Set air compressor to read 0%
- * Connect tester to inlet of barrel valve
- * Read true % of leakage
- * Adjust linkage turnbuckle for desired %
(Lengthen to **Richen**, Shorten to **Lean**)



How to Video



Leakdown Tester

Billet Aluminum
Includes Injector Hose
(AN6 or 8)

Professional Grade

Injector Hose .. \$17
T-2006 AN6 T-2008 AN8



12V Electronic Fuel Lean-Outs



- * More Top End MPH
- * Accepts Enderle Pills
- * Converter Helper
- * Low Draw

FI-5101 Lean Out **\$275**
FI-5103 Enrichment

As a high-speed lean out, this valve can be activated with an RPM activated switch, timer or momentary switch. Fuel will be taken away at the top end for best horsepower. What's a "Converter helper"? When a fuel injected motor is on a rev-limiter, the motor cools down severely since a large quantity of fuel is not being burned. This valve can be wired to the transbrake circuit so that when the transbrake is set, the valve opens and keeps the motor hot, lean and mean while on the rev-limiter.

Hi-Speed Assembly

Bleeds off fuel at higher rpm.
Frees up top-end horsepower.
Install anywhere between pump and distribution block.



Variety of Pressures Available.
Accepts Enderle Bypass Pill.

E-7019 Unblown AN6 Tee E-7018 Blown AN8 Tee

Toll-Free Tech Advice & Online "How-To-Videos"

Call or Click !



800.576.7661

DragParts.com



Air Bleeds

Allows one to adjust idle on injectors

P-2310 1/8 \$4 P-2340 5/32 Plug \$2



Why Enderle Fuel Injection ?

Online Prices
& Styles

Tunnel Ram Injectors are Complete with:

Polished Hat, Barrel Valve, Fuel Lines,
Nozzles & Bodies, Main and Secondary
Check Valves, Dist Block & Bypass Pills.


- E-2100A Bugcatcher Assy
- E-2101A Birdcatcher Assy
- E-BAU-3A-36 Big & Ugly
- E-7070 Edelbrock SBC TR Base
- E-7075 Edelbrock BBC TR Base
- E-6209 Dart BBC Tall Deck w/ Adap
- E-TRA7075 BBC Top Adap Plate
- E-TRA6209 BBC Dart Top Adap Plate
- E-SBTRA SBC Top Adap Plate

- * **Consistent & Responsive**
- * **Dependable & Affordable**
- * **FREE Tech Support**
- * **Looks Cool!**



*Injectors are set up per customer application **FREE** at **NO** additional charge.*

Convert Your 4 Barrel Manifold into Fuel Injection!



Intake not included

Very Consistent & Responsive


Injectors complete with: Barrel Valve, Lines,
Nozzles, Pills and Air Filter Bracket. Has standard
Holley four barrel bolt pattern. **Gas, E85 or Alky.**



FREE
Setup and
Calibration
per your
Application!

- Single Body - Assembly**
- E-2020.39 4"
- E-2020.50 5"
- Dual Body - Assembly**
- E-2030.39 4"
- E-2030.50 5"
- Single Body - Partial**
- E-4080.39 4"
- E-4080.50 5"
- Air Filter Assembly**
- E-2020.39F 4"
- E-2020.50F 5"
- Progressive Linkage**
- E-67-260FSB

Single/Dual Butterfly Injector



K&N
Filter





FREE Catalog!

800/576-7661



Premium Fuel Filters

Anodized **Black** or **Red**

System One filters are made from billet alum and feature a reusable 30 micron SS filter. Handles high pressure without volume loss.

Race - Long 2 x 9"	Race 2 x 6"	Pro-Street 2 x 4"
AN6 SYS-202-202406	SYS-201-203406	SYS-200-201406
AN8 SYS-202-202408	SYS-201-203408	SYS-200-201408
AN10 SYS-202-202410	SYS-201-203410	SYS-200-201410
AN12 SYS-202-202412	SYS-201-203412	

Also Replacement SS Elements (**Most \$60**)

Fuel Filters with Shutoffs

Designed to mount before the pump. AN12 female ports and a reusable #40 stainless steel screen. Foot pad is tapped with 1/4 -20 threads for easy mounting.



E-4056 w/o Shutoff \$85 **E-4057 \$115**

Gas, E85, Alky & Nitro



100 Micron
SS Element
Female AN12
AER-12332



2.5 x 9"
\$269



Viton O-Rings
60 or 120 Micron
2.50" x 3.90"

Gas, E85, Alky, Nitro

X-7106SAN.60	60 Micron AN6
X-7108SAN.60	60 Micron AN8
X-7110SAN.60	60 Micron AN10
X-7112SAN.120	120 Micron AN12



Internal Mount AN12

Gas, E85, Alky
X-980012FS \$33

JAZ economical inline billet aluminum **filters** are 5in long and feature a 35 micron element.

Gas Only

JAZ-836-006-11	AN6
JAZ-836-008-11	AN8
JAZ-836-010-11	AN10
JAZ-836-001-11	3/8" Barb



\$51



Hydrometers



Complete with: Hydrometers, Glass Beaker, Thermometer, Padded Case and Instructions.

Also checks: Gas, Methanol & Ethanol.

Hydrometer Kits

T-1200 Gas & Alky.	1 Hydrometer	From
T-1203 0-30 Nitro.	2 Hydrometers	\$235
T-1204 0-60 Nitro.	3 Hydrometers	
T-1205 0-100 Nitro.	4 Hydrometers	

Hydrometer Only

T-1210 Hydrometer Gas-Methanol	
T-1213 Hydrometer 5-30% Nitro	Most
T-1215 Hydrometer 30-60% Nitro	\$35
T-1217 Hydrometer 60-100% Nitro	

Components

T-1220 Padded Case	\$89
T-1222 Glass Beaker	\$39
T-1224 Thermometer	\$71

Used by Successful Pros & Sportsmen



Pressure Gauge

Liquid Filled

Boost, Oil, Fuel



1.5 in Diameter

Gauge	X-710000 .. 0-15psi
Only	X-710030 .. 0-30psi
	X-710060 .. 0-60psi
\$35	X-710100 .. 0-100psi

Blower Boost Memory Kit .. \$45

Records Highest Reading

B-5130 (Gauge **not** included in kit)

Injector De-Icer

Spray directly onto Injector Butterflies to prevent sticking & freezing.

11oz Aerosol

FI-7150 \$7



Nitro Sizes
0 - 50%
50 - 100%

E-7012 Hydrometer Kit Gas/Alky
E-7013 Hydrometer Kit Nitro
E-7014 Nitro Hydrometer
E-7014B Gas/Alky Hydrometer
E-7015 Beaker only
E-7016 Wood Case





*Professional
Products
at Sportsman
Prices!*



Aeromotive
Products

Electric Pumps¹³

800/576-7661

Phantom Universal



Phantom Universal Fuel Pump System allows the option to install a High-Performance pump inside virtually any fuel tank from 6" deep to 11" deep, including your factory tank and can support both Forced Induction and Naturally Aspirated motors.

AER-18309 Dual Phantom Sys **AER-18688** Single Phantom Sys

340 Stealth Series



*Designed for
In-Tank use.*

340 Stealth Series are High-Output Electric Pumps that will fit most popular EFI & CARB applications. Pump will bolt onto many existing Hanger assemblies. **2 styles:** Center or Offset Inlet.

AER-11540 Center Inlet **AER-11542** Offset Inlet



A1000 Series

A1000 Fuel Pump Series is ideal for high horsepower EFI or Carb applications. Features a Female AN10 ORB inlet and a AN10 ORB outlet port.

Pump is fully submersible for custom In-Tank placement.

AER-11101 In-Line. 1000HP EFI / 1300HP Carbs



Erica Enders-Stevens Back To Back Pro Stock Championships with Aeromotive A-3000 Fuel System !!

Regulator & Filter can be clocked in 45 degree increments.

A3000 Series

Ideal for high horsepower Carb applications. Features a Female AN12 ORB inlet and a AN10 ORB outlet port. Ideal for Bracket Cars, Pro Mods, etc..

6.8gpm @ 5psi (over 400gph)


AER-11215 Complete Kit
AER-11216 A3000 Pump
AER-11217 Adj Regulator
AER-11218 100 Micron Filter

Gas or Alcohol

Adjustable Regulators

Aeromotive Regulators are some of the finest on the market. Machined from Billet Aluminum. Includes mounting bracket.

Available for EFI & Carb Applications



- a. **AER-13109** EFI. Two AN6 Inlets w/ One AN6 Return
- b. **AER-13204** Carbs. By-Pass. 2-Port
- c. **AER-13301** Carbs. By-Pass. 3-Port 3/8 npt



FREE Catalog!

800/576-7661



\$98

FI-5113 Most Hats
FI-5114 PSI Hat



\$79


FI-5111 Most Hats
FI-5111.B Black

6061 Billet Aluminum
 Provision for Springs.
 Fits Blower &
 Tunnel Ram Injectors.
 TF/TA Approved.
 (Swingover hookclamp
 optional on F-5111)

Studs & SS Nuts
FI-5122
\$5/ pr



BILLET Throttle Cable Brackets



Works with Bug or Bird.
 Anodized Aluminum.
 Mounts to front of Blower.
 Swingover Hook clamp.
 Provision for Springs.


FI-5110
\$39



QR Throttle Stop


Quick Release in < 1 Second
 Billet Aluminum w/ SS Pin
 Top Fuel & Alcohol Legal

FI-5120 **\$59.99**



Tunnel Ram Linkage Kits

Everything needed
 for mounting **Dual**
Carbs on a Tunnel
 Ram **Side-Saddle**.




E-75-107 Ford 351C **E-72-2000** SBC
E-75-220 Ford 460 **E-71-1000** BBC



*Selection
 & Prices*

Carb Linkage Kits



Blower Linkage Kits

For dual Holley double-pumpers, Dominators, Predators & Carters mounted **Side-Saddle**. Includes adjustable heim-end design and needle bearings for smooth throttle operation. **E-76-107**

For dual Holley vacuum secondary, Dominators, Predators & Carters mounted **Inline** on a 8 9/16 center-to-center distance. Includes adjustable heim-end design and needle bearings for smooth throttle operation. **E-55-501**

Premium Return Springs **\$6.99**



FI-5115 Strong **FI-5116** Medium

Special bend prevents spring from detaching from
 Injector. Includes Grade 8 10-24 bolt & locking nut.

Adjustable Bell Crank Assembly

Billet Aluminum
 Stainless-Steel Fasteners

E-34-500 **\$63**



**Injector
 Hat
 Linkage
 Kit**

\$99



Designed to work with mechanical fuel injection
 (Bug or Birdcatcher) on blown applications only.
 Adjustable heim end design and needle bearings
 for smooth throttle operation. **E-76-GVIHL**




Extensive Cable
Selection Online



800/576-7661

Determine Correct Cable

1. Select The Housing Style
2. Measure the Length (Tip to Tip)



Custom Length Cables?
No Problem!

24" Throttle Cable (Carbs)



- CC-UV-100-24 Nylon Housing .. \$37
- CC-UV-200-24 Stainless Steel .. \$45

* Cables can easily be Shortened *




18' Chute Cable

Stainless-Steel
Center Wire
C-8501 \$54

Lever, Pivot & Half round billet clamp.

Cable Brackets

Billet Aluminum & Lightweight



- a. C-8512 Billet Half Clamp \$8
- a. C-8510 Billet Chute Clamp \$8
- b. C-8507 Chute Pivot \$8
- c. C-8515 Billet Full Clamp \$10
- d. C-8520 Swing Hook Clip \$10

The Choice of the Pros in Top Fuel & Alcohol

- * Threaded Male 10-32 Both Ends
- * Grooved or Bulkhead Housing
- * Stainless Steel Inner
- * Heavy Duty Quality



In Stock from: 24" to 168"
(Other lengths Available)

Grooved

Grooved Housing on Both Ends.

CC-173VGG-3



Tee-Handle

Grooved Housing on Engine
end. Tee-Handle w/ Double-
Nut Bulkhead Housing on
Driver's End.



CC-86V33-3

Bulkhead

Double-Nut Bulkhead
Housing on One or
Both Ends.

- CC-173VGT-3
- CC-173VTT-3



B&M Shifter Cable

CC-CA248

Eyelet Groove
to Bulkhead



Length	Groove	Bulk Head	Tee Handle
2 Foot (24")	\$ 55	\$ 69	\$ 86
3 Foot (36")	\$ 55	\$ 69	\$ 86
4 Foot (48")	\$ 58	\$ 72	\$ 89
5 Foot (60")	\$ 62	\$ 76	\$ 93
6 Foot (72")	\$ 65	\$ 79	\$ 96
7 Foot (84")	\$ 68	\$ 83	\$ 99
8 Foot (96")	\$ 72	\$ 86	\$103
9 Foot (108")	\$ 75	\$ 89	\$106
10 Foot (120")	\$ 78	\$ 93	\$109
11 Foot (132")	\$ 82	\$ 96	\$113
12 Foot (144")	\$ 85	\$ 99	\$116
13 Foot (156")	\$ 88	\$103	\$119
14 Foot (168")	\$ 92	\$106	\$123

Micro Adjust

CC-26V33DF-3

Micro-adjust cables are perfect
for applications where a
locking cable is desired
(marine, high vibration, etc)
Can be locked at partial travel.
Incorporates a push-release
button for easy adjustment.



- a. CC-003BALL Ball only 10-32 threads \$2
- a. E-4011BS Ball only SS 10-24 threads \$6
- b. CC-175-403-003Q Q.D. Ball Joint w/ 10-32 \$8
- c. CC-175-403-0024 Q.D. SS Ball Joint w/ 10-24 \$11
- d. CC-165-172-307A Round Knob 10-32 .. \$7
- e. CC-CREF-3-3 Female Heim 10-32 \$7
- f. CC-PCH-100 Aluminum Lever \$7

Cable Ends



Same Day, Low Cost
Fast Worldwide Shipping!

800/576-7661

Billet Case Show Quality Blowers!

6.71 to 14.71



*More Sizes,
Prices & Info!*



The Blower Shop superchargers are some of the finest on the market. Their **BILLET case** is superior to cast casings and has a show polished finish.

Proven successful in professional motorsports including: Drags, Marine and Tractor Pulling, Mega Trucks, Salt Flats

Competition race blowers are Hard Anodize, has 18 Strips of Teflon and Drilled for Rear Nozzles.

Blower Gel

Penetrating gel with Teflon is designed to lubricate and coat the rotors of Standard Roots superchargers. This formulated gel adheres to the rotors creating tighter tolerances thus, resulting in higher efficiency and increased boost levels.



**Gas E85
Alcohol
Nitro**

PRIZM
G-3150 **\$27**
PENNE
G-3152 **\$19**



Blower Drive Kits

**Street Rods * Marine * Drag Racing
Tractor Pulling * Mud Buggers**

Our Blower Drive Kits are some of the finest on the market. Show-Quality & Precision Machined.

Most kits include: Drive Kit, Manifold, Bolts, All Gaskets & Tech Support.

Drive Kits are in Stock!



Blower Spacers



B-7220



B-7222

CAST

Manufactured from **cast** aluminum and designed to raise the blower 4 inches.

Includes: Gaskets and Aluminum Studs.



BILLET

Machined from **Billet** aluminum and designed to raise the blower 2 inches (can be stacked). O-Ring Groove on top.

Includes: O-Ring, Anodized Studs, Stainless Steel Washers and Nuts.



B-7234




B-7232



Blower Manifolds



B-7104 SB Chevy Race



B-7174
BAE Fathead



TBS-2573
LS Chevy
Rectangular
Port w/
Hardware

SBC



B-7102 SB Chevy **Street** Large Port.
All Hardware Including Alum Studs
B-7103 SB Chevy **Street** Weiland.
Includes Pop-off Valve
B-7104 SB Chevy **Race** Large Port.
All Hardware Including Alum Studs

BBC

B-7112 BB Chevy **Race** Std. Machined for
burst panel. All Hardware Included.
B-7113 BB Chevy **Street** Weiland Std deck.
Pop-off valve. Hardware Included
B-7116 BB Chevy **Street** Standard deck.
Pop-off valve. Hardware Included
B-7118 BBC **Street** TALL deck.
Pop-off valve. All Hardware Included

FORD

B-7123 A460 **Street** or **Race**

HEMI

B-7153 331-392 **Street** Weiland
B-7174 BAE Fathead Std & .100 blocks
Polishing Available on Most Intakes

Standard Features Include:

- * Raised tented floor for improved airflow.
- * Solid sides for added strength and rigidity.
- * Competition models has port nozzle provisions.
- * Most will accept 6.71 through 14.71



B-7112

Drilled for Port Nozzles
Machined for Burst Panel
BB Chevy Race w/ Hardware

2.25" Setback



B-7255 Retro Plate w/ Hardware

\$240

.450 Thick
Billet Alum

\$30 a		\$49 e	
\$19 c		\$35 d	
\$15 f		\$40 g	
		\$42 h	

Blower Studs
Lengths: 2.1 - 6.5"

Blower Manifold Components

- B-7200 Swivel Thermostat Housing
- B-5120 External Thermostat Housing
- B-5020 Steel Mounting Bolt Kit
- B-5025.K Alum Blower Stud Kit
- B-5026.K Above with 12pt Nuts
- B-7010 SBC 12pt Manifold Bolts
- B-7015 BBC 12pt Manifold Bolts
- B-7030 KB Hemi Bolts (Set of 16)
- B-7035 BAE Fathead Studs (Set of 6)



*Huge Selection
& Prices!*

Premium Burst Panels B-5100

SFI Approved. Very popular on Top Fuel & Blown Alcohol Engines. Small & Large

2pc Aluminum Frame Kit B-5102

Designed to mount burst panel onto a blower manifold. Includes 24 Stainless-Steel bolts. **\$65**

Frame Kit w/ Studs B-5104.10

Allows one to quickly replace a Burst Panel when necessary. Outer Frame with 24ea Studs (10-32 x 10-24) & Jet Nuts. **\$65**



\$69/3pk

Burst Panel Adapters B-5110

Aluminum adapters can be either welded or bolted on a blower intake. Ideal for applications where there is not enough surface for the standard 2 pc frame kit. Accepts Large Panels. **\$75**



Burst Deflector B-5112

Billet aluminum deflector diverts explosions either up or down away from fuel lines and other fragile components. Has depth gauge provision for measuring panel expansion.



\$175



FREE Catalog!

800/576-7661

8 & 11mm

Drive Ratio Chart



**B
O
T
T
O
M
P
U
L
L
E
Y**

TOP PULLEY

	43	44	45	46	47	48	49	50	51	52	53	54	55	56
47	9.3	6.8	4.4	2.2	1.0	-2.1	-4.1	-6.0	-7.2	-9.6	-11.3	-13.0	-14.5	-16.1
48	11.6	9.1	6.7	4.3	2.1	1.0	2.0	-4.0	-5.9	-7.7	-9.4	-11.1	-12.7	-14.3
49	14.0	11.4	8.9	6.5	4.3	2.1	1.0	-2.0	-3.9	-5.8	-7.5	-9.3	-10.9	-12.5
50	16.3	13.6	11.1	8.7	6.4	4.2	2.0	1.0	-2.0	-3.8	-5.7	-7.4	-9.4	-10.7
51	18.6	15.9	13.3	10.9	8.5	6.3	4.1	2.0	1.0	-1.9	-3.8	-5.6	-7.3	-8.9
52	20.9	18.2	15.6	13.0	10.6	8.3	6.1	4.0	2.0	1.0	-1.9	-3.7	-5.5	-7.1
53	23.2	20.5	17.8	15.2	12.8	10.4	8.2	6.0	3.9	1.9	1.0	-1.9	-3.6	-5.4
54	25.5	22.7	20.0	17.4	14.9	12.5	10.2	8.0	5.9	3.8	1.9	1.0	-1.8	-3.6
55	27.9	25.0	22.2	19.6	17.0	14.6	12.2	10.0	7.8	5.8	3.8	1.9	1.0	-1.8
56	30.2	27.3	24.4	21.7	19.1	16.7	14.3	12.0	9.8	7.7	5.7	3.7	1.8	1.0
57	32.5	29.5	26.7	23.9	21.3	18.8	16.3	14.0	11.8	9.6	7.5	5.6	3.6	1.8
58	34.8	31.9	28.9	26.1	23.4	20.8	18.4	16.0	13.7	11.5	9.4	7.4	5.5	3.6
59	37.2	34.1	31.3	28.3	25.5	22.9	20.4	18.0	15.7	13.5	11.3	9.3	7.3	5.4
60	39.5	36.4	33.3	30.4	27.7	25.0	22.4	20.0	17.6	15.4	13.2	11.1	9.1	7.1
61	41.8	38.6	35.6	32.6	29.8	27.1	24.5	22.0	19.6	17.3	15.1	13.0	10.9	8.9
62	44.2	40.9	37.8	34.8	31.9	29.2	26.5	24.0	21.6	19.2	17.0	14.8	12.7	10.7
63	46.5	43.2	40.0	37.0	34.0	31.1	28.6	26.0	23.5	21.2	18.9	16.7	14.5	12.5
64	48.8	45.5	42.2	39.1	36.2	33.3	30.6	28.0	25.5	23.1	20.8	18.5	16.4	14.3
65	51.2	47.7	44.4	41.3	38.3	35.4	32.7	30.0	27.5	25.0	22.6	20.4	18.2	16.1
66	53.5	50.0	46.7	43.5	40.4	37.5	34.7	32.0	29.4	26.9	24.5	22.2	20.0	17.9
67	55.8	52.3	48.9	45.6	42.6	39.6	36.7	34.0	31.4	28.8	26.4	24.1	21.8	19.6
68	58.1	54.5	51.1	47.8	44.7	41.7	38.8	36.0	33.3	30.8	28.3	25.9	23.6	21.4
69	60.5	56.8	53.3	50.0	46.8	43.8	40.8	38.0	35.3	32.7	30.2	27.8	25.5	23.2
70	62.8	59.1	55.6	52.2	48.9	45.8	42.9	40.0	37.3	34.6	32.1	29.6	27.3	25.0

13.9mm/14mm
1/2" Pitch: 25-44T



**B
O
T
T
O
M
P
U
L
L
E
Y**

TOP PULLEY

	25	26	27	28	29	30	31	32	33	34	35	36	37
25	1.0	-3.8	-7.4	-10.7	-13.8	-16.7	-19.4	-21.9	-24.2	-26.5	-28.6	-30.6	-32.4
26	4.0	1.0	-3.7	-7.1	-10.3	-13.3	-16.1	-18.7	-21.2	-23.5	-25.7	-27.8	-29.7
27	8.0	3.8	1.0	-3.6	-6.9	-10.0	-12.9	-15.6	-18.2	-20.6	-22.9	-25.0	-27.0
28	12.0	7.7	3.7	1.0	-3.4	-6.7	-9.7	-12.5	-15.2	-17.6	-20.0	-22.2	-24.3
29	16.0	11.5	7.4	3.6	1.0	-3.3	-6.5	-9.4	-12.1	-14.7	-17.1	-19.4	-21.6
30	20.0	15.4	11.1	7.1	3.4	1.0	-3.2	-6.2	-9.1	-11.8	-14.3	-16.7	-18.9
31	24.0	19.2	14.8	10.7	6.9	3.3	1.0	-3.1	-6.1	-8.8	-11.4	-13.9	-16.2
32	28.0	23.1	18.5	14.3	10.3	6.7	3.2	1.0	-3.0	-5.9	-8.6	-11.1	-13.5
33	32.0	26.9	22.2	17.9	13.8	10.0	6.5	3.1	1.0	-2.9	-5.7	-8.3	-10.8
34	36.0	30.8	25.9	21.4	17.2	13.3	9.7	6.3	3.0	1.0	-2.9	-5.6	-8.1
35	40.0	34.6	29.6	25.0	20.7	16.7	12.9	9.4	6.7	2.9	1.0	-2.8	-5.4
36	44.0	38.5	33.3	28.6	24.1	20.0	16.1	12.5	9.1	5.9	2.9	1.0	-2.7
37	48.0	42.3	37.0	32.1	27.6	23.3	19.4	15.6	12.1	8.8	5.7	2.8	1.0
38	52.0	46.2	40.7	35.7	31.0	26.7	22.6	18.8	15.2	11.8	8.6	5.6	2.7
39	56.0	50.0	44.4	39.3	34.5	30.0	25.8	21.9	18.2	14.7	11.4	8.3	5.4
40	60.0	53.8	48.1	42.9	37.9	33.3	29.0	25.0	21.2	17.6	14.3	11.1	8.1
41	64.0	57.7	51.9	46.4	41.4	36.7	32.3	28.1	24.2	20.6	17.1	13.9	10.8
42	68.0	61.5	55.6	50.0	44.8	40.0	35.5	31.3	27.3	23.5	20.0	16.7	13.5
43	72.0	65.4	59.3	53.6	48.3	43.3	38.7	34.4	30.3	26.5	22.9	19.4	16.2
44	76.0	69.2	63.0	57.1	51.7	46.7	41.9	37.5	33.3	29.4	25.7	22.2	18.9
45	80.0	73.1	66.7	60.7	55.2	50.0	45.2	40.6	36.4	32.4	28.6	25.0	21.6

How to select your Belt & Pulley Sizes






Professional
Products
at Sportsman
Prices!



Extensive Belt
Selection Online

Supercharging¹⁹
800/576-7661



In Stock!

3" Belts listed.
Other widths in Stock

Blower Belts

Good Vibrations stocks one of the largest selection of BILLET blower pulleys & belts in the world!



1/2 Pitch

Street/ Race < 15% OD



8mm & GT

Street/ Race < 35% OD



14mm & GT

Street/ Race > 35% OD



- 510H300
- 540H300
- 550H300
- 560H300
- 570H300
- 585H300
- 600H300
- 630H300
- 660H300
- 700H300

- 1280M75
- 1360M75
- 1440M75
- 1520M75
- 1600M75
- 1696M75
- 1760M75
- 1896M75

GT Street/ Race > 35% OD

- 1440M75GTC
- 1440M75PS
- 1512M75GT2
- 1600M75GTC
- 1600M75PS
- 1792M75PS

- 1400M75
- 1568M75GTC
- 1568M75GTGS
- 1610M75 ...
- 1610M75KEV
- 1610M75PS
- 1694M75 KEV
- 1694M75PS
- 1750M75GTC
- 1778M75
- 1778M75KEV



13.9mm

- 1543M75

Billet Alum Blower Pulleys

In Stock @ Discounted Prices!

* Pulleys are 3.5" wide with 2" center register.
* **Billet 6061** aluminum and T-6 heat treated.
Hard anodizing is standard on:
8mmGT, 11mmGT, 13.9 and 14mm/ GT pulleys.



**Huge Selection
ONLINE**

Center Flange
8, 11 &
14mmGT
Ratios > 35%



<p>\$77-145</p>  <p>2 or 2.25" Hole</p> <p>1/2 Pitch</p>	<p>\$80-135</p>  <p>8mm</p>	<p>\$98-210</p>  <p>8mmGT</p>	<p>\$104-200</p>  <p>11mmGT</p>	<p>\$90-160</p>  <p>13.9mm</p>	<p>\$94-190</p>  <p>14mm & GT</p>
Ratios < 15% Sizes: 26-44	Ratios < 35% Sizes: 42-71	Ratios > 35% Sizes: 42-80	Ratios > 35% Sizes: 32-53	Ratios > 35% Sizes: 25-45	Ratios > 35% Sizes: 25-46

Same Day, Low Cost
Fast Worldwide Shipping!


800/576-7661

Blower Gaskets

These premium gaskets are race tested and proven in Top Fuel/Alcohol & Blown Gas.

Blower Base

- G-2022 6.71 **\$ 9**
- G-2022.3 3-Pack **\$18**
- G-2028 8-10.71 **\$ 9**
- G-2028.3 3-Pack **\$24**
- G-2032 14.71 **\$12**
- G-2032.3 3-Pack **\$32**



Re-Usable!

Blower Inlet

- G-2012 Small w/o Screen **\$ 7**
- G-2012.3 3-Pack Special **\$15**
- G-2014 Small w/ Screen **\$ 9**
- G-2014.3 3-Pack Special **\$22**
- G-2016 Large w/o Screen **\$ 7**
- G-2016.3 3-Pack Special **\$15**
- B-5019 Inj Hat Stud Kit **\$12**



Blower Front Cover



- G-2058 Blower Snout **\$3**
- G-2059 w/ Bolts **\$6**

Blower Bearings (ea)

- G-3312 Rear **\$14**
- G-3314 Front **\$17**

Blower Seals (ea)

- G-3300 Standard **\$8**
- G-3302 Oversize **\$8**
- G-3304 Shaft Saver .. **\$5**

Bearing/Seal Kits (4ea)

- G-3320 Street **\$ 89**
- G-3322 Race **\$119**

Blower Snouts

- G-2060 Seal 1.125 **\$ 8**
- G-2062 Seal 1.25 **\$15**
- G-2061 Bearing 1.125 **\$19**
- G-2063 Bearing 1.250 **\$19**

Blower seals are heavy duty, double-lipped teflon and designed for extreme temperature and pressure.
Bearings are long-lasting, premium quality.



- G-3020 3/32
- G-3022 1/8
- G-3023 1/8 O/S
- G-3024 3/16



BUNA O-Ring Material


Ideal for sealing Manifolds, Heads, etc..
Gas - E85 - Alky - NITRO

Belt Guards & Components

Machined from 6061-T6 Billet Aluminum
Offer Protection of Fuel & Oil Lines
Polished or Black Finish



- a. B-5410 Top Guard, Roots & Screw w/ Starter Mount
- b. B-5420 Top Guard, Roots & Screws w/o Starter Mount
- a. B-5460 Top Guard, 3-Hole SSI, PSI w/ Starter Mount
- b. B-5460 Top Guard, 3-Hole SSI, PSI w/o Starter Mount



BILLET Aluminum Guard Components \$349

- c B-5500 Face Plate only w/ Starter Mount
- d B-5500 Tow Bracket
- e B-5516 Top Mount w/ Side Mount Provision (RH)
- e B-5512 Top Mount w/ Side Mount Provision (LH)
- f B-5525 Side Clamp
- g B-5528 Side Mount Clamp Hardware Kit
- h B-5527 Side Mount Quick Pin
- i B-5553 Side Plate 3" Wide x 18" or 22"
- j B-5520 Side Support Stand
- k B-5545 Side Support Stand Spacer 1-hole .500"
- l B-5530 Side Support Stand Pedestal 3-hole
- m B-5532 Side Support Pedestal Spacer 3-hole .250"
- n F-BH-325 Side Support Bolt 5.50" - 7.00"
- o B-5040 Starter Dog. Roots (Steel)
- p B-5042 Starter Dog. PSI Blowers (Steel)
- q B-5213 Mounting Kits 1.75" - 4.00"



BILLET Aluminum Belt Gaurds

Bolts Right on! No Add't Hardware Required

Billet Aluminum
Stainless-Steel Fasteners
Polished or Black Finish



Roots & Screws

- B-5006 Polished **\$119** Black **Add \$10**

3-Hole SSI, TBS & PSI ...

- B-5015 Polished **\$139**

LENGTHS:
6, 7.5, 8.5, 10, 12"



Blower Components



- a. **B-5026.K** Blower Stud Kit 2.5" w/ 12pt Nuts **\$49**
Longer Aluminum Studs Available 3.00 - 7.00 **\$5**
- b. **B-5080** Blower Pulley 12pt Bolt Kit 3/8 (6ea) **\$10**
- c. **B-5020** Blower Mount Bolt Kit Steel (8ea) **\$19**
- d. **B-5038** Aluminum Blower Turning Plate **\$35**
- e. **B-5136** Pressure Relief Valve 7/16 Alum Black **\$17**
- f. **B-5135** Pressure Relief Valve 1/8 Stainless Steel **\$16**
- g. **B-5138** Oil Level Sight Gauge Lexan 1/4 NPT **\$18**
- h. **B-5140** Billet Tri-Plate Kit w/ Bolts & Oring **\$19**



Extensive Listing
Online!



Good Vibrations Motorsports is proud to be the Presenting Sponsor of the California Independent Funny Car Association (CIFCA)



James Maher, piloting his Junior Vibes FC, brought the CIFCA circuit back to life.

Blower Snouts

Drive Snouts are machined from billet aluminum. Has double ball bearings and HD oil seal. 48-Tooth spline shaft is made from heat-treated 4100 steel.



Street Snouts (1.125" shaft) *Street Snouts are Polished!*

- B-5300** Street Snout 3.90"
- B-5310** Street Snout 5.75"
- B-5302** Coupler for above
- B-5317** Street Snout 8.125"
- B-5319** Coupler for above

Race Snouts (1.250" shaft)

- B-5340** Race Snout 3.90"
- B-5342** Coupler for 3.90"
- B-5350** Race Snout 5.25"
- B-5352** Coupler for 5.25"
- B-5360** Race Snout 6.00"
- B-5362** Coupler for 6.00"
- B-5370** Race Snout 7.00"
- B-5372** Coupler for 7.00"

From
\$289

Includes: O-Ring, Grade 8 Bolts & Washers



From **\$85**



Front Cover

**Billet Aluminum
6061-T6**

- B-5220** All-Round
- B-5224** Half-Round Corners
- B-5228** All-Square Corners

Fits most brands of blowers



From
\$189

Machined Finish
Show Polished

Rear Bearing Plates

BILLET Aluminum

Front Bearing Plates

B-5240 \$169

All-Round



TBS-1160

BILLET Aluminum

All Square Corners

Includes Dowels

B-5240.P Polished \$179

All-Square



B-5258 Satin \$179
B-5258.P Polished





FREE Catalog!

800/576-7661

Chromoly Crank Hubs

Tested & Proven in Top Fuel and Alky!

Hubs are designed to replace your harmonic balancer. Machined from 4100 steel and broached for 2 keyways.

- B-2040 SBC Int Bal 3/16-1/4 Keys
- B-2041 SBC Int Bal w/ V-Groove
- B-2042 SBC Ext Bal 3/16-1/4 Keys
- B-2053 BBC Int Bal 3/16-1/4 Keys
- B-2054 BBC Int Bal Dual 1/4 Keys
- B-2051 BBC Int Bal w/ V-Groove
- B-2055 BBC Ext Bal 3/16-1/4 Keys
- B-2056 BBC Ext Bal Dual 1/4 Keys
- B-2060 Hemi 426 PSI Spline
- B-2061 Hemi 426 RCD Spline
- B-2064 Hemi 426 Dual 1/4 Keys
- B-2066 Hemi 426 Internal Brng Sppt
- B-2090 Early Hemi 331-417
- B-2080 Ford 429-460 Dual 1/4 Keys



Internal Balance

From
\$109



External Balance



Hub with optional Degree Ring Installed



More Hubs & Prices



Int Bearing Support
426 Hemi



Crank Hub
w/ V-Groove



426 Hemi PSI/
RCD Spline



429-460 Ford

Billet Crank Hub Degree Rings

Billet Aluminum
6.375 or 7.00" Diameter
1 Degree Increment
Scalloped Design

- w/o Magnets \$80*
- B-2032** 6.375" **B-2034** 7.00"
- with Magnets ... \$139*
- B-2033** 6.375" **B-2037** 7.00"

- Offsets (7.00" diameter)*
- B-2035** .500 Offset w/o magnets
- B-2039** .500 Offset w/magnets
- B-2038** Center Offset w/ magnets



Standard



Offset



Don't own a scalloped crank hub?

\$80

No problem.

These rings will work on standard hubs with a 2" center register.

B-2032.NS 6.375 **B-2034.NS** 7.00"

Minimize Crankshaft Flex & Bearing Damage

Bearing Problem?
Get Support!



Chrome-Moly Crank Hub
Billet Aluminum Plate & Standoffs

Bearing Supports

- B-2435** Support SBC **\$499**
- B-2455** Support BBC **\$499**
- RCD-202600-0004** Support 426 HEMI
- RCD-202800-0002** Support Early HEMI



Prices & Tech

Long Crank Hubs for Bearing Support

- B-2046** Hub SBC 3/16 & 1/4 Keyways **\$330**
- B-2057** Hub BBC 3/16 & 1/4 Keyways **\$330**
- B-2058** Hub BBC Dual 1/4 Keyways **\$330**
- B-2067** Hub 426 HEMI Dual 1/4 Keyways **\$330**
- RCD-202803-0020** Hub 331-417 HEMI **\$470**



Degree Ring Adaptor **B-2030**

Allows one to adapt the above scalloped degree ring to a non-scalloped crank hub.
Has popular 2" male register. **\$55**



Crank Bolts

7/16 1/2 3/4



Chrome-Moly Steel
Black Oxide Finish
Gun Drilled
Heat-Treated

Chevy
Hemi
Ford

Billet Crank Washers

Chromoly. Perfect Fit
SB & BB Chevy & Mopar



ID:
.500 .750
\$10



**Professional
Products
at Sportsman
Prices!**



Supercharging ²³

Crank Triggers  **800/576-7661**

Crank Triggers

100% coverage foil-shield, twisted pair cable for max noise rejection. Covered with fire-sleeve. The coil is precision wound on a nylon bobbin for long life. Employs a separate 16" ground wire for shielding and max radio frequency and electromagnetic noise rejection.

Can be trimmed to fit and grounded to the chassis or motor. Highest quality **gold-plated terminals** in the plug ensures the connection stays corrosion free. Pickup sensors have a smooth diameter and fit perfectly in 3/8" pickup holders.



- I-3118 Pickup Straight 18"
- I-3126 Pickup Straight 26"
- I-3218 Pickup 90 Deg 18"
- I-3226 Pickup 90 Deg 26"
- I-3102 Extension Cable 24" or 36"
- MSD-8154 Threaded Straight 24"



Online Parts & Technical

Trigger Brackets



Brackets are machined from billet aluminum. Mount to right (passenger, or left side (driver). Utilizes the smooth or threaded Pickup Holders.

\$70 Black Add **\$6**



- I-3310 SBC Right
- I-3312 SBC Left
- I-3314 BBC Right
- I-3316 BBC Left
- I-3318 Hemi Right
- I-3320 Hemi Left

Alum Spacers
I-3330
\$7



Pickup Holders

Crank Trigger Pickup Holders are machined from billet aluminum and are designed to hold the 3/8 threaded or smooth pick-ups.

Mounting Hardware
Premium 12pt
FI-5126 **\$2.80**




- SBC **\$50**
Black **\$55**
- BBC & Mopar
- I-3300 3/8 Smooth -SBC
- I-3303 3/8 BBC, HEMI, Etc

Billet Pointers

Pointer Assembly is machined from billet aluminum and allows precise reading of the engine timing. NHRA Legal for Top Fuel/ Alky

Fits: HEMI covers

Also fits most Crank Trigger Brackets



B-2024 **\$38**

Machined from billet aluminum and is adjustable. Will work on 6 3/8 or 7in degree ring. Allows for precise reading of engine timing. Includes mounting hardware. One of the nicest pointers on the market.



Top Seller!
Adjustable!
B-2020 SB Chevy B-2022 BB Chevy **\$59**

V-Groove Pulleys

V-Groove Pulleys are machined from billet 6061-T6 alum. Has a 2" register and bolts directly to crank hub with 6 bolts. Can be stacked together for PS, AC, etc...



- B-2205 Single V-Groove Pulley **\$70**
- B-2211 Single V-Groove Adap SBC **\$90**
- B-2221 Single V-Groove Adap BBC **\$90**
- B-2212 Dual V-Groove Adap SBC **\$109**
- B-2222 Dual V-Groove Adap BBC **\$109**
- B-2210 Serpentine - Crank Hub **\$109**
- B-2215 Serpentine - SBC **\$109**
- B-2225 Serpentine - BBC **\$109**



Adapter-style pulleys bolts directly to balancers. Available in Single or Double V-Grooves & 5 and 6.25" diameter.

Blower Pulley Spacers

Allows one to easily align both upper and lower blower pulleys. **2" or 2.25" Center Register**



Billet 6061-T6 Alum
6-Hole Pattern
Widths: .300 - 1.40"
From **\$24**

Pulley Bolts

12pt or Socket Head
3/8-16 & 3/8-24
Variety of Lengths



\$10
B-5080

Accessory Pulleys

- B-2230 Water Pump SBC
- B-2233 Water Pump BBC
- B-2236 Lower Pulley BBC
- B-2240 Alternator SB Chevy
- F-312-1000SS SS WP Bolt
- Fits **Short** Water Pumps




Billet Aluminum

Uppers are Polished

Same Day, Low Cost
 Fast Worldwide Shipping!

800/576-7661

Billet Idler Pulleys and Brackets



3.25 or 4.5in Diameter
 From **\$129**

Available:
 Machined Finsih
 Show Polished
 Anodized Black



Billet Idler Pulley

Machined from 6061-T6 alum. Feature an offset double ball bearing allowing for further spacing from bracket. Crowned center helps keep blower belt centered.

- B-6092** 2" wide x 3.25"
- B-6095** 3" wide x 3.25"
- B-6096** 3" wide x 4.50"
- B-6097** 3.3" wide x 3.25"

Includes: Idler Pulley, Alum Standoff and Washer.

Idler Pulley Spacers

Billet Aluminum & Anodized



Spacer Widths
 .400 to 1.400

Tee Nut

Offset allows for more adjustment



- B-6090** .75 **\$25**
- B-6091** 1.00

Engine Mounted Kits

Includes: Polished Alum Bracket, Water Standoffs (Drilled & Tapped AN8), Mounting Spacers & Bolts, Idler Bolt & Chromoly T-Nut.

- B-6041** SB Chevy Kit **\$199**
- B-6051** BB Chevy Kit
- B-6040** SBC Bracket Only **\$109**
- B-6050** BBC Bracket Only



Outboard Support Kit BBC & Hemi

Includes: Alum Bracket, Outboard Support, 3.10 or 3.35" Idler Pulley, .750 Bolt, 1.00in T-Nut and Hardware.



Mount for Dunn
 Offset Mag Drive

- B-6065** Hemi Kit
- B-6055** BB Chevy Kit
- B-6067** Dunn Mount



Blower Mounted



Complete Bracket Listing Online



Billet L-Shape bracket mounts directly to the front of most roots blowers.

Kit Includes: Bracket, T-Nut, Bolts and Alum Standoffs.

- B-6000** Bracket Only **\$ 65**
- B-6001** Standard Kit .. **\$129**
- B-6002** Long Kit **\$139**

Long Kits include .700 spacer & longer bolt.

Bracket Spacers

Billet Aluminum .375 ID

Lengths:

- .25 .75 1.00 1.50 2.00 2.375

Large Variety of Applications



Swing Arm



Billet Swing Arm Bracket clamps to snouts Also allows one to adjust the idler pulley For and Aft.

- B-6007** Street Arm 3.375 ID
- B-6008** Comp Arm 3.525 ID
- Idler Bolt** 5/8-11 x 4"

Hemi Engine Mounted Bracket



392 Hemi



426 Hemi

Mounts to Engine Block.
 3/4" Aluminum Prevents Warpage.

- B-6060** 426 Hemi
- RCD-156206-09** 392 Hemi

HEMI Outboard Support Bracket Angled w/ T-Nut.



Includes Mounting Hardware



B-6062 Hemi (BAE, KB, TFX, etc...)



Carb Scoops

*Fits Blowers &
Most Tunnel Rams*



Scoops are replicas of the famous Bugcatcher Injector. Designed to fit single or dual carbs. Highly polished with anodized butterflies.

*Complete with Mounting
Hardware and Filters!* **\$249**

Dual Carbs:
7.75 - 9.25 c-c

ACC-2522 .. Smooth ACC-2520 .. Ribbed

Hilborn-Style

Hilborn-style scoops are designed for single or dual carbs on **Tunnel Rams & Blowers.**

Polished (or Black)
Finned or Smooth top.

Includes: Adjustable mounting hardware, front screen & filter(s).



\$129



Shotgun
\$249

ACC-2527 Single Carb
ACC-2525 Dual Carb
ACC-2523 Shotgun-Style

Blower Only Scoops



Polished aluminum **Dual Carb** scoop for **Standard** four-barrel style carbs **mounted inline** or **side-saddle** on 8 5/8" centers. (Won't fit most Tunnel Rams)

B-9070 Dual Carb Blower Scoop

B-9072 Above w/ Filters

B-9072.BLK Black w/ Filters

B-9074 Filter w/ Top, Stud & Nut



Carb Adapter Plates

Dual four barrel carb adapter plate for a 6.71 or 8.71 blower. Accepts two **Standard** Holley carbs sidesaddle or Carter carbs inline on an **8-5/8** center to center. Holley carbs without secondary metering plates may be run inline.

Dominator carb plate is at **8-3/4** center to center.

B-9050 Standard **\$129** **B-9053** Dom **\$139**


Single four barrel carb adapter plate for 6.71 or 8.71 blower. Accepts **Standard** Holley and Carter four barrel carbs or **Dominator**

B-9052 Standard **B-9054** Dom



Includes: Billet Plate, All Gaskets, Cadmium Plated Bolts & Washers.

Stainless-Steel Carb Plumbing



Bridle

Dual Lines

Premium Quality

3/8" seamless **Polished Stainless-Steel** tubing with anodized aluminum fittings (or SS) for two double pump carbs mounted sidesaddle. Includes carb fuel inlet to AN6 fittings and provides a AN6 Tee fuel connection per carb to supply fuel to both carb bowls.

Works on blowers and tunnel rams

4150 Dual Lines	4150/Demon Bridle
B-9201 Blue \$157	B-9221 Blue \$66
B-9202 Black \$157	B-9222 Black \$66
B-9200 SS \$261	B-9220 SS \$90

4500 Dual Lines	4500 Bridle
B-9207 Blue \$167	B-9227 Blue \$66
B-9208 Black \$167	B-9228 Black \$66
B-9206 SS \$294	B-9226 SS \$90

Demon Dual Lines	Billet Fuel Rail
B-9204 Blue \$157	B-9256
B-9205 Black \$157	\$135
B-9203 SS \$261	Dual Holleys

Stainless-Steel Carb Plumbing *Dual Holleys mounted Side Saddled.*



Single AN8 Inlet

Great Price!
\$189

B-9260 .. 4150
B-9262 .. Demons
B-9264 .. 4500



FREE Catalog!

Engine Bearings

800/576-7661



IN STOCK!

KING RACING

High Performance Bearings

Proven effective on circle track engines running at 8000rpm, on Top Fuel Blown Engines producing 5500HP as well as on high performance street vehicles. Alecular material offers an extremely high temperature threshold and high load capacity.



Main Bearings \$65-95

MB-557HP-STD	350 SBC STD 1/2 Groove
MB-557HP-001	350 SBC .001 1/2 Groove
MB-557HP-010	350 SBC .010 1/2 Groove
MB-557HP-011	350 SBC .011 1/2 Groove
MB-557HP-020	350 SBC .020 1/2 Groove
MB-557HP-STDX	350 SBC .001 Oversize 1/2 Grve
MB-509HP-STD	400 SBC STD Half Groove
MB-509HP-010	400 SBC .010 Half Groove
MB-509HP-020	400 SBC .020 Half Groove
MB-509HP-STDX	400 SBC .001 Oversize Half Grve
MB-5163HP-020	400 SBC .020 Full Groove
MB-5163HP-030	400 SBC .030 Full Groove
MB-556HPN-STD	BBC STD 1/2 Groove
MB-556HPN-001	BBC .001 1/2 Groove
MB-556HPN-010	BBC .010 1/2 Groove
MB-556HPN-011	BBC .011 1/2 Groove
MB-556HPN-020	BBC .020 1/2 Groove
MB-556HPN-030	BBC .030 1/2 Groove
MB-556HPN-STDX	BBC .001 Oversize 1/2 Groove
MB-5164HP-STD	BBC STD Full Groove
MB-5116HP-STD	440/426 Hemi STD 1/2 Groove
MB-5116HP-010	440/426 Hemi .010 1/2 Groove
MB-5650HP-STD	BBF STD 1/2 Groove
MB-5503XP-STD	FORD 351C STD 1/2 Groove
MB-5503XP-010	FORD 351C .010 1/2 Groove

Note: HP part numbers are being replace with HPN

Rod Bearings \$65-\$115

CR-807HPN-STD	350 SBC STD w/o Dowel
CR-807HPN-001	350 SBC .001 w/o Dowel
CR-807HPN-010	350 SBC .010 w/o Dowel
CR-807HPN-020	350 SBC .020 w/o Dowel
CR-807HPN-STDX	350 SBC .001 Oversize w/o Dowel
CR-803HPN-020	327 SBC .020 w/o Dowel
CR-807HPND-STD	350 SBC STD w/ Dowel
CR-807HPND-010	350 SBC .010 w/ Dowel
CR-807HPND-020	350 SBC .020 w/ Dowel
CR-807HPNDSTDX	350 SBC .001 Oversize w/ Dowel
CR-807HPND-010X	350 SBC .009 w/ Dowel
CR-807HPND-020X	350 SBC .019 w/ Dowel
CR-803HPND-STD	302 SBC STD w/ Dowel
CR-808HPN-STD	BBC STD w/o Dowel
CR-808HPN-001	BBC .001 w/o Dowel
CR-808HPN-010	BBC .010 w/o Dowel
CR-808HPN-020	BBC .020 w/o Dowel
CR-808HPN-STDX	BBC .001 Oversize w/o Dowel
CR-808HPND-STD	BBC STD w/ Dowel
CR-808HPND-001	BBC .001 w/ Dowel
CR-808HPND-010	BBC .010 w/ Dowel
CR-808HPND-011	BBC .011 w/ Dowel
CR-808HPND-020	BBC .020 w/ Dowel
CR-808HPND-STDX	BBC .001 Oversize w/ Dowel
CR-806HPND-STD	440/426 HEMI w/ Dowel
CR-806HPND-001	440/426 HEMI .001 w/ Dowel
CR-806HPND-010	440/426 HEMI .010 w/ Dowel
CR-874HPN-STD	BBF STD w/o Dowel


Why Use King Bearings?

- * Improved consistency of bearing-to-journal clearance, so you never have to worry about King bearings having the right fit within a set.
- * Superior eccentricity and crush relief values for a better oil “wedge” and less journal wear.
- * Decreased taper across the bearing face, yielding superior wall stability, a more parallel wall and better oil film development.
- * No need to grind cranks “fat” or “thin” to compensate for bearing wall variations.





Total Seal Gapless Piston Rings



As a normal ring wears, the gap opens up allowing combustion gasses to escape. The Total Seal Gapless ring has no gap. Instead, its patented design incorporates a 2-part interlocking ring to close the gap and provide a more perfect seal between the piston and cylinder.



Keeps Leakdown to 2% or Less!

WHY Total Seal Piston Rings?

- Improved Consistency
- Cleaner Engine Oil
- Better Oil Control
- Less Friction
- Wilder Torque Curve
- More Engine Vacuum
- Less Blowby
- Longer Engine Life

- Increased Horsepower and Torque
- Lower Engine Oil Temperatures
- Saves Money (Fewer Teardowns)

Not sure if Total Seal gapless rings are right for you? Compare the facts and then decide.



Gapless 2nd RACE Sets

- 1/16 1/16 3/16
- 4.035 TS-T3690.35
- 4.065 TS-T3690.65
- 4.155 TS-T0690.30
- 4.255 TS-T9190.05
- 4.285 TS-T9190.35
- 4.315 TS-T9190.65
- 4.355 TS-T6490.35
- 4.385 TS-T6490.65
- 4.445 TS-T9190.195
- 4.505 TS-T9190.255
- 4.567 TS-T9130.5
- 4.605 TS-T9150.5



.017 Dykes 1/16 3/16

- 4.255 TS-T1702 5
- 4.285 TS-T1702 35
- 4.315 TS-T1702 65
- 4.380 TS-T1702 130
- 4.505 TS-T1702 255

Other Sizes in Stock

Leakdown Tester
Dual Gauge w/ 14mm Hose Professional Grade T-2002
\$139

Assembly Lube
8oz TS-AS
\$19

Tapered Ring Compressor
Heat Treated Anodized Alum
Fixed Sizes: 4.030 - 4.625
Adjustable Available also

Quick Seat
TS-QS **\$18**

Ring Expander
Highly Recommended for Intsalling Rings
T-2025
\$16

Electric Ring Filer
Files rings simply, quickly and accurately. A must tool for the serious auto enthusiast.
T-2021 .. 110V
T-2022 .. 220V

Manual Ring Filer
T-2020
Bench Mounted

We are proud to be the Title Sponsor of the DragParts.com Blown Alcohol Thunder. *Funny Cars, Alters & Dragsters*



Same Day, Low Cost
Fast Worldwide Shipping!

www.DragParts.com

Fabricated Valve Covers

Fabricated from 6061 alum and welded with billet rails. Designed for the hot rodder who demands a higher quality valve cover with extra room for valve train.



SBC

With or
w/o Hole
BBC



440
Mopar



SBF

- ACC-2324 SB Chevy **\$139**
- ACC-2335 BB Chevy **\$169**
- ACC-2364 SB Ford **\$149**
- ACC-2384 BB Ford **\$149**
- ACC-2342 SB Mopar **\$129**
- ACC-2344 BB Mopar 440 .. **\$179**

Stage V Single-Plug
High Quality Cast Aluminum
Relieved for larger retainers
Use Stock Spark Plug Tubes
Very popular with Top Fuel & Alky
Fits most *late model* aftermarket heads

426 Hemi



Prices



Polished ACC-2353



Powder Coated
ACC-2354



\$249

Fabricated 426

Fabricated from
6061-T6 Aluminum
Billet Rails.

ACC-2356

Hemi Dual Plug Alum Valve Cover Block Offs

For those running dual plug
covers with single magneto.

Set of 8

ACC-2358

\$50



Hemi Dual Plug Head Block Offs

14mm. Blocks off the 2nd
park plug hole in the head.

Set of 8

ACC-2358

\$130



ACC-2357

Spark Plug Tubes

Fits Most Late Model
HEMI Covers
Aluminum
Includes EPR O-Rings



HEMI VC Stud Kit Flange Washers

20 Pcs

F-VC-HEMI .. **\$49**



T-1008
7/16
Socket

\$39

Valve Covers

Cast Aluminum

Tall for Clearance
Show Polished
Recessed & Baffled
Hole for Breather

- ACC-2320 SB Chevy 283-350
- ACC-2330 BB Chevy 396-502
- ACC-2360 289-351W 5.0L Ford
- ACC-2300 Wing Nut 1/4-20x4in



SB Chevy

Valve Cover Gaskets



See page 49

**BUY
SELL
TRADE**

DragParts.com

We Pay Cash!



SB Ford



BB Chevy



Burn Down
Tubes

800/576-7661

Quick-Connect Burndown Tubes



Angled Hemi
C-7152

Also
Available
10 Degrees
Left

Anodized Aluminum
Positive Locking
Heat-Treated Flanges



NHRA
IHRA
Approved
Straight
C-7150




Polished Aluminum Upright
Breathers w/ 1.25" Ends

Includes: Gaskets &
12pt Bolts
C-7197 Tubes (pr)


Flat Breather Hose

Fits 1.25 to 1.50" hose.
Lightweight & Flexible
B-5126 Grey **\$3.25/FT**



Clear Breather Hose

Works with all fuels.
B-5125 1.250" **\$5** B-5127 1.500" **\$6/FT**



GRIME BOSS Hand Wipes

Tough on Messes
Safe on Skin
Citrus Scented
Replaces Rags

*"This ain't no
baby wipe"*



GV-P1360 60 count **\$ 8**
GV-P1360.8 Case 480 count **\$59**

Heavy Duty Tire Covers FC, Alters, Doorslammers

- * Premium 13oz Quality Vinyl
- * Brass Grommets
- * Includes Suction Cups
- * Reinforced Border



Keep Tires
Constant
Temp & PSI
T-3400 White
T-3405 Black
\$30



Prices



- *Resistant to Oils
- *Easy to Clean
- *Grommets
- *Mold Resistant
- *Flame Resistant

4 X 6 Mini	13 lbs
10 X 10	25 lbs
10 X 20	43 lbs
<i>Most Popular Sizes:</i>	
10 X 30	71 lbs
12 X 30	85 lbs
15 X 30	97 lbs
12 X 40	102 lbs
15 X 40	127 lbs



Pitmat is an exclusive material that can be used on a variety of surfaces including *gravel, dirt, grass, concrete and asphalt*. Primary purpose is to provide a clean, durable and comfortable surface to park and maintain your vehicle while at the track or at the shop.



FREE Catalog!

www.DragParts.com

High Quality Fasteners in Stock



12pt Nuts



Locking Nuts



12pt Bolts



Studs

Grade 8
Grade 9
8740 Chromoly



Flywheel &
Flexplate Bolts



- * Blower Pulley Bolts
- * Crank Hub Bolts
- * Valve Cover Studs
- * Oil Pan Studs
- * Allen Socket Head
- * 12pt Nuts & Bolts
- * Flex Plate Bolts
- * Flywheel Bolts
- * Header Studs

1000's in STOCK!

Steering Wheels & Boxes

Quality Steering Components for Funny Car, Altered or Dragster.



C-7255

Steering wheels are CNC machined, not stamped, from heat-treated aluminum.

Includes: Switch tab and ergonomic grips.



C-7295

- C-7250 B-Fly Steering Wheel w/ Tab
- C-7250.D Above *pre-drilled* for QR hub
- C-7255 B-Fly Steering Wheel w/ Tab & Grips
- C-7255.D Above *pre-drilled* for QR hub
- C-7261 B-Fly Steering Wheel Grips -Red
- C-7262 B-Fly Steering Wheel Grips -Blue
- C-7267 B-Fly Steering Wheel Grips -Polished
- C-7295 Aluminum Switch Panel



C-7292



4 Hole

C-7290



3 Hole



- C-7290 3 Bolt Q.R Steering Hub 1/4" SFI
- C-7292 4 Bolt Q.R Steering Hub SFI
- C-7296 Splined Coupler 5/8-36
- PW-C42-512 Brake Lever 18in w/ Pol Grip
- PW-C42-507 Brake Lever Shutoff Lever

FC/Altered Front Brake Kits

Includes Mounting Hardware!



Designed for the PS/ Anglia style spindle popular on Funny Cars and Altered.

Wilwood Master Cylinders are high pressure die-cast from aerospace quality aluminum & fully machined.

- W-140-3326 FC/ Altered Front Kit
- W-260-4894 Master Cylinder Dual
- W-260-6764 Master Cylinder 3/4"
- W-260-6765 Master Cylinder 7/8"
- W-260-6766 Master Cylinder 1"
- W-260-13706 Residual Valve 2psi
- W-120-2498 Front Caliper Dynalite
- W-120-6818 Rear Caliper Dynalite
- W-160-1602 Drilled Rear Rotor
- W-150-1251K Front Pads Round Spot
- W-150-9764K Front Pads Square
- W-150-8850K Rear Pads



Steering Box Dragster

CNC machined from alum & hi-strength steel.
Weighs less than 2lbs!
11" eye-to-eye.



C-7115

Ideal for Dragsters



Professional
Products
at Sportsman
Prices!



Tabs & Brackets
QTY Discounts!

31
31
Tabs & Rod Ends

800/576-7661

Premium Chassis Tabs



Over 99 % of all
race parts sold by
Good Vibrations
Motorsports are
proudly made in
the USA with
superior material
& excellent
quality control.

Carbon Steel 1/8 Thick

- a. C-8152.5 Double Sided 3/8 hole **\$22**
- b. C-8150L.5 Single Sided LH **\$22**
- c. C-8150R.5 Single Sided RH **\$22**
- d. C-8154.5 Universal 3/8 hole **\$9**

Chromoly 1/8 Thick


- a. C-8186.5 Double Sided 3/8 hole **\$39**
- e. C-8184.5 Universal 3/8 hole **\$34**
- f. C-8182.5 Universal 3/8 hole **\$29**

Sold in **5 Packs**

Premium DZUS Fasteners

- a C-83010.10 Steel .550 Button **\$15**
- b F-DZR-ADR-50.10 Steel Allen ... **\$20**
- c C-83013.10 Steel Backing Plate **\$ 7**
- d C-83015.10 Steel Spring **\$11**
- e C-83017.10 Doubler Round **\$ 8**
- f C-83018.10 Doubler Square **\$ 8**

10
Packs



Self Ejecting (SE) DZUS

- f C-83020.10 SE Button Assy **\$29**
- g C-83023.10 SE Backing Plate **\$ 6**
- h C-83025.10 SE Steel Spring **\$11**

10
Packs



Hi-Quality Rod Ends



Male & Female
Left & Right
Hand



Easy Ordering



Don't trust your Race Car to inferior brands

Female Right Hand

- CREF-3-3 10-32 **\$6.99**
- CREF-4-4 1/4-28 **\$6.99**
- CREF-5-5 5/16-24 **\$7.99**
- CREF-6-6 3/8-24 **\$7.99**
- CREF-7-7 7/16-20 **\$8.99**
- CREF-8-8 1/2-20 **\$9.99**

Male Right Hand

- CREM-3-3 10-32 **\$6.99**
- CREM-4-4 1/4-28 **\$6.99**
- CREM-5-5 5/16-24 **\$7.99**
- CREM-6-6 3/8-24 **\$7.99**
- CREM-7-7 7/16-20 **\$8.99**
- CREM-8-8 1/2-20 **\$10.99**

Female Left Hand

- CREF-3L-3 10-32 **\$6.99**
- CREF-4L-4 1/4-28 **\$6.99**
- CREF-5L-5 5/16-24 **\$7.99**
- CREF-6L-6 3/8-24 **\$7.99**
- CREF-7L-7 7/16-20 **Call**
- CREF-8L-8 1/2-20 **Call**

Male Left Hand

- CREM-3L-3 10-32 **\$6.99**
- CREM-4L-4 1/4-28 **\$6.99**
- CREM-5L-5 5/16-24 **\$7.99**
- CREM-6L-6 3/8-24 **\$7.99**
- CREM-7L-7 7/16-20 **\$9.99**
- CREM-8L-8 1/2-20 **\$10.99**



Dimpling Tool

Professional way to
dimple your sheet
metal for DZUS.

C-83005 **\$28**



**DZUS
Wrench**
C-83007

Engine Floating Saddle Mount

Tig Welded Chromoly
Fits 1-1/2in Tubing

Dragsters, Alters, Funny Cars



C-8190 Floating Saddle Mount **\$ 35**

C-8201X SS Band Clamp 1.5 - 1.875 **\$ 8**

Line Clamps (Packs of 10)



3/16 1/4 3/8 1/2 3/4



Good Vibrations Motorsports is
proud to be a sponsor at Idaho's
premier motorsports facility.

Make plans to attend one of their races. Invite a Friend!

Same Day, Low Cost
Fast Worldwide Shipping!

www.DragParts.com

Hi-Torque Starters

Ideal for High Comp and Supercharged Engines



View Complete Selection Online!

4.40 to 1 Gear Reduction
534 ft./lbs. Torque!
Lightweight (8.8lbs)
Compact and Adjustable
Heat-Resistant Solenoid
(No Hot Start Problems)

US Patented



Chevy

CHEVY

- IMI-102 Chevy 1.3hp \$ 179
- IMI-102N Chevy 1.9hp \$ 219
- IMI-902 Chevy 2.0kw \$ 298
- IMI-22103 Chevy 2.2kw \$ 449
- IMI-935 Chevy 2.0kw Offset \$298
- IMI-301-003 Chevy Marine \$ 219

PONTIAC/ OLDS

- IMI-108 Pont/Olds 1.3hp \$ 189
- IMI-108N Pont/Olds 1.9hp \$ 219
- IMI-908 Pont/KB Olds 2.0kw \$ 349
- IMI-141R KB Olds 1.4kw \$ 229

FORD

- IMI-106 Ford 1.3hp Auto \$ 189
- IMI-107 Ford 1.3hp Manual \$ 179
- MI-906 Ford 2.0kw Auto \$ 329

MOPAR

- IMI-109 Mopar 1.3hp \$ 189
- IMI-909 Mopar 2.0kw \$ 349

VW/ PORSCHE

- IMI-101 VW-Porsche 1.3hp \$ 199
- IMI-101N VW-Prsche 1.9hp \$ 245
- IMI-104 VW Vanagon 1.9hp \$ 229
- IMI-105 VW 6 Volt Flywheel \$ 198

Diesel

- IMI-25002-002R Farmhall 3 bolt \$ 423
- IMI-25208-001 Farmhall 2 bolt \$ 469



VW Porsche



Mopar



Diesel 12 & 24V

Guaranteed with a Warranty !

Up to 4.5KW!

Blower Starter Battery Pack & Parts

ACC-3116 48 Volts BILLET Lithium Battery Pack w/ Charger \$1650

ACC-3115 48 Volts BILLET Battery Pack w/ Charger \$1050

ACC-3115.120 Battery Charger (120 or 240V) \$199

B-5060 Premium Copper Battery Cables 15ft \$139

B-5046 Anti-Tipover Foot Alum \$45

B-5047 Quick-Disconnect Battery End \$16

PW-C72-029 Pull Handle for QD end \$20

B-5048 Premium Momentary Toggle Switch \$14

ACC-3110 BILLET 18 Volt Battery Mount \$209



48 Volts BILLET Battery Pack
ACC-3115 (68lbs) or
ACC-3116 Lithium (9lbs) !



Copper!





Too Fast? We Can Stop You!

Drag Chutes

- DJ-851252 Super Quad (et, sg, sc, ts, td)
- DJ-851067 Doorslammers up to 2500#
- DJ-851070 Pro Mod & Blown Alcohol
- DJ-851070.2 Above with Launcher
- DJ-851079 Top Fuel Dragster/ FC
- DJ-851424 BOAT: Blown Gas or Alcohol
- D-30470 Nylon Pack 7x7
- DJ-852999 Nylon Pack 9x9
- DJ-852996 Silver Pack 9x9
- DJ-852809 Pilot Chute Heavy Duty
- DJ-852200 Release Cable with Lever
- DJ-852005 Pilot Bridle Line 5ft
- DJ-852809 Pilot Loop (Requires 4)
- DJ-911341 "Remove Before Run" Flag



Over a Dozen styles to choose from !!



Black * Red * Blue




How to Pack a Chute

Chutes Include: Quad Cross-Form Canopy, Pack, Pilot and Bridle Line.

Coldfire 302 Fire Systems

Coldfire302 is a harmless plant & water based fire suppressing agent. Is especially effective in Class B fires (Oil/fuel). Also suitable for wood & paper fires. Coldfire Suppresses quickly, prevents reflash, safe to store and leaves virtually no residue. Biodegradable and environmentally safe.



More Cables on Pg 15

On-Board Systems

Accepted by Most Sanctioning Bodies

- DJ-911050 5lb Sys
- DJ-911100 10lb Sys
- DJ-911100.FC 20lb

DOT & SFI Approved

Bottles Can be Recertified & Refilled

Components

- a. DJ-911327 Manual Injector
- b. DJ-911328 Mnl Injector & Brckt
- c. DJ-911329-2 Pull-Style Adapter
- d. DJ-911329 Pneumatic Injector
- e. C-8420 Mounting Bracket 5.25
- f. DJ-911311 Nozzle & Fitting Kit
- DJ-911101 10lb Bottle Only
- DJ-911312 10' Alum Tubing 1/4"
- g. CC-86U04 Remote Cable from 3ft



Photo By: Sheryl Ogonoski



We stock Complete Systems for Most Classes & Applications.



Systems & Parts Online



FREE Catalog!

Seat Belts and Harnesses

DJ Safety offers over 100 combinations of 5pt Seat Harnesses.

Options Include: Latch/ Link design or Quick-Release (CamLock) 2" or 3" wide. **3 Styles of Attachment:** Wrap-around, Bolt-in or Snap-in.



View Online Selection



SFI 16.1
 Also Available in 6 & 7pt

Colors:
 Black
 Red
 Blue


Seat Belts Out-of-Date?
 5pt Latch/Link style ... *most* w/ Fire Protective Covering
 5pt Cam Lock style w/ Fire Protective Covering
 Rewebb & Recert *most* w/ Fire Protective Covering



Buckle Styles

Cam Lock

Latch/Link



Belt Mounting Options



- a. Snap-In
- b. Bolt-In
- c. Wrap-Around

Shoulder Pads

D-70200 2" Slip-On Pads Nomex
DJ-603050 3" Fire Retardant Pads

Shoulder pads are available as Slip-Ons or Sewn-In.
Great Driver Comfort.

Sold in Pairs



Window & Wheelie Bar Nets

DJ-221721 Angular 17x21
DJ-221824 Square 18x24
JAZ-906-03 Installation Kit
DJ-220001 Wheelie Bar 48"




Dual Wheels or Single Tripod Wheelie Bars

SFI 27.1



Premium Seatbelt Hardware

Hardware is made of high quality steel for that extra measure of safety you are looking for and deserve.



- a. **DJ-600105** Snap-In Kit w/ Hardware
- b. **DJ-600304** Floor Mount Kit w/Hrdwr (pr)
- c. **DJ-600402** 3-Bar Adjuster 2" (pr)
- c. **DJ-600403** 3-Bar Adjuster 3" (pr)



Arm Restraints



Arm Restraints have a velcro closure and are adjustable in length.

DJ-605009 Arm Restraints

SFI 3.3



Professional Products at Sportsman Prices!

QR code with text: Discounted Safety Equipment!

Blow Restraint/ Diaper



800/576-7661

14.1 Blower Restraints

Billet 6061-T6 Aluminum
Silver Aluminized Straps or,
Black Nomex Straps
SFI 14.1 Re-Certifiable.



Fresh Dates!

- B-7360 Restraint w/ Hardware. Silver **\$369**
- B-7362 Restraint w/ Hardware. Black **\$369**
- B-7395 Mounting Hardware Kit (4ea) **\$149**
- B-7396 Blower Restraint Pin - Steel **\$ 20**
- B-7390 Straps Only - Silver **\$129**
- B-7392 Straps Only - Black **\$129**



14.2 Blower Restraints



Ideal for those wanting extra protection around the blower.

Fresh Dates!

- B-7350 Restraint w/ Bag & Hardware **\$890**
- B-7310 Ballistic Bag SFI 14.2 **\$369**
- B-7314 Ballistic Bag NON-SFI **\$299**
- B-7395.5 Mounting Hardware Kit (5ea) **\$190**



Billet 7075-T6 Aluminum
Silver Aluminized Straps
Quick-Disconnect Pins



- DJ-141000 Restraint w/ Hardware SFI 14.1
Restraint Only, No Hardware SFI 14.1
- DJ-141998 Re-Certification SFI 14.1
- DJ-141002 Adjustable Silver Straps (4ea)
- DJ-141900 Mounting Hardware w/ pins
- DJ-142007 Top Alcohol Restraint with Kevlar Ballistic Bag and Steel Hardware. SFI 14.2

Sportsman Engine Diapers

Cleanable Absorbant Pads.
Q.D. Adjustable Straps.
Attaches to **Frame or Headers**
Ballistic Nylon.



S-70030 **\$199**

NHRA Approved

Available: BBC, HEMI and other popular engines

Snap-in Absorbant Pads.
Q.D. Adjustable Straps.
Tailored Fit.
Ballistic Nylon.



- DJ-730281 SB Ford
- DJ-730350 SB Chevy
- DJ-730454 BB Chevy
- DJ-730426 426 Hemi

Most Other Makes in Stock!

Pro Engine Diapers

Adjustable quick-release buckles
attaches to the header flanges.
Reusable Snap-in Absorbant Pads.
Wet & Dry Sump. Can be recertified.



- DJ-711001.bal Soft Ballistic Nylon
- DJ-711002 Soft Kevlar (shown)
- DJ-710002 Carbon Fiber Bucket
- DJ-710401 Replacement Pads (pr)

TF/TA
Legal

SFI
7.1

Plug Wire Shield

Protect *spark plug wires* in the event of a burst panel or blower back-fire.



DJ-070200

Trans Blankets

Multiple layers of Ballistic material to capture exploding shrapnel.



*Perfect Fit
Water - Oil Resistant
Dozens in Stock
Custom Available
Re-certifiable !*

- DJ-801012 Powerglide
- DJ-801014 Turbo 350/400
- DJ-801126 Lenco Reverser (only)
- DJ-801124 Lenco 2spd w/Rev
- DJ-801152 Lenco 3spd w/Rev
- DJ-801181 B&J 3spd w/Rev

Prices & Selection



Most other Makes in STOCK!

Same Day, Low Cost
 Fast Worldwide Shipping!

www.DragParts.com

Nomex Driving Suits

Standard Suits are one solid color with contrasting trim.

Sizes: S-XXL

Colors: Black Red Blue

DJ Safety sfi /20 suits can be recertified every 5 years!



Options:

- Arm Restraints
- Kool Pad Pockets

Ipc or Separate Jacket and Pants

SFI 1 Suits (1 Layer)

- DJ-011200 Jacket
- DJ-011300 Pants
- DJ-011100 1pc Suit .


SFI 5 Suits (2 Layer)

- DJ-012200 Jacket
- DJ-012300 Pants
- DJ-012100 1pc Suit

SFI 20 Suits (4 Layer)

- DJ-014200 Jacket
- DJ-014300 Pants
- Sewn-in Restraints

Driving Boots



Feature padded Kevlar lining and velcro closure.

Sizes: 6-13 in Full Sizes

Colors: Black Red Blue Gray

- DJ-050000 sfi 3.3/5 Shoes
- DJ-051000 sfi 3.3/20 Boots



Complete Selection



Driving Gloves

Leather Palm Gloves offer excellent protection while maintaining a high level of comfort.



Colors

- Black
- Red
- Blue

- DJ-022000 Nomex sfi 3.3/5
- DJ-024100 Nomex sfi 3.3/20



How to Measure Glove Size

Lay hand flat with fingers and thumb together. Measure circumference at widest point. 9" =Sml, 10" =Med, 11" =Lrg, 12" =XL

Heavy-Duty Race Car Tiedowns

Webbing is 1.75" wide. Burst Strength: 5,000lbs
 Snap-in J-Hook Ends. American Made!


- a. DJ-236201.12 Inline Ratchet Tiedown
- b. DJ-236205.8 w/ Sewn-In Axle Loop
- c. DJ-238044 Flush Mounted D-Ring
- d. DJ-237224 Heavy-Duty Axle Strap 24"
- DJ-241202 Heavy Duty Tow Strap 14'



Online Tiedowns



Don't trust your race car to inferior brands !



12ft



8ft



d

c

Roll Bar Padding

SFI 45.1



3' Length

Black Red Blue

Made of high-density foam.

3/4" thickness

- Roll Bar 1.50-1.75" \$26
- Helmet Bar 1.00-1.25" \$24

Flat Padding

24 x 12in High-Density Foam

Black 1" thickness

US-1224 ... \$40

Kool Vest

Keeps driver or crew member comfortable for upwards of an hour. Thin vest easily fits under driver's suit. Has one pad on upper back and one on each kidney.



- D-03520 ... S-XXL
- D-03520-3 Extra/Replacement Kool Pads



Safety
Equipment



800/576-7661

Head & Neck Restraint

NecksGen Head and Neck Restraint System features an innovative tether design that distributes impact loads through 4 different load paths. Adjustable rear brace designed to fit seat angles from 10-40 degrees. Adjustment range also allows for a custom fit to the driver. Free floating pads allow for maximum comfort, while the US-made Dupont carbon-composite material offers strength and weight savings.



DJ-606803 Medium DJ-606807 Large

Head Socks/ Underwear

Head Socks are designed to be worn under the helmet. These soft nomex knit hoods provide an extra measure of protection. Nomex underwear are also soft and gives a driver a few extra critical seconds of time.



Black or White

- D-03211 1 Layer Sock
- DJ-062002 2 Layer, *sfi 3.3*
- DJ-060000 Top S-XL
- DJ-061000 Pants S-XL
- DJ-063040 Socks



Nostalgia Mask

Made of Aluminized Silver
Includes Breathers!
NON-sfi
D-83110-SIL



Heat Sleeves

Features 100% heat-resistant woven Kevlar fabric, extra long sleeve protects arm above the elbow, oil and fuel resistant, snug fit allows comfortable fit.



MG-05-902 **\$23**



Good Vibrations Motorsports is the proud
Series Sponsor of the Nitro Breathing OFAA

Equipment Bags



Made from a high quality rip-stop nylon. Internal padding. 3 pockets.



Helmet Bag

DJ-036010

Gear Bag

DJ-070410



Aircraft Legal Carry On Size !

Helmet Supports

Velcro Closure
SFI Approved



DJ-040009



Tapered For Comfortable Fit



Norman Wheeldon

Newtown Powys, United Kingdom



FREE Catalog!

You just found those Hard-To-Find Tools !!



Cam Degree Installation

Makes degreing a cam a lot quicker and easier. This fixture attached to the block over cylinder #1 using two of the block studs (or bolts). An adjustable stop is included for helping determining top-dead center. Simply install a dial indicator into either the intake or exhaust hole of the fixture.

T-1115 SBC T-1116 BBC T-1117 HEMI T-1119 392

Valve Lash Adjuster

Quickly and accurately adjust your valves with this custom tool. Machined from stainless-steel for durability with choice of 7/16, 1/2 or 9/16 hex.

*Fits SBC, BB, Mopar & Fords.
1/8 7/32 3/16 hardened Tip.*



Stainless Steel

\$62

T-1125 7/16 Hex. T-1126 1/2 Hex. T-1128 9/16 Hex.

Main Cap Puller

The bottom-end guy sure appreciates this main cap slide puller. The 5/16 heat-treated threads are easily threaded into the main cap using the slip-proof knurled

knob. A simple tug of the tool allows the cap & lower bearing to drop safely into your hand. A great asset for between round thrashes. Also great to have at the shop.



T-1103 2.5 lbs

T-1100 4.5 lbs **\$99**

Rod-Piston Pusher T-1131

Here is a tool that allows one to safely and quickly install or remove the rod-piston combo out of the block. The pointed end of The Pusher is simply inserted into one of the two threaded holes in the connecting rod. The bend in the shaft allows easy navigation around the crankshaft journal. The diver with hot oil dripping onto his face will thank you profusely.



Billet Alum

Top Seller!



Hemi Top Dead Center Checker

Wanna' check your top dead center like a pro? Then grab one of these. Simply thread the checker into Cylinder #1 of your Hemi and rotate the crank until the dial indicator maxes out. A real time saver when trying to dial in a magneto or camshaft at the track.

T-1134

\$159



Adjustable Pushrod Kit

Ideal to have when determining new pushrods lengths

MNT-630 **\$39**

Push Rod Straightness Checker



Valve train failure is normally catastrophic and a bent push rod can be attributed as a culprit in many instances. A pushrod out-of-round as little as .010 will begin to flex. I'm sure you have seen the wear marks on the sides of your pushrods. With the Pushrod Checker, simply insert the pushrod into the spring-loaded end, rotate 360 degrees and quickly check the roundness of a pushrod to less than .001.

T-1120 BBC T-1121 Fathead T-1122 Hemi Fuel

Push Rod & Piston Pin Straightness Checker

A piston pin failure is catastrophic. Period. And checking their roundness was always a challenge. Now there is a cool tool that allows you to check the pin's roundness to less than .001 thousands in less 5 seconds. And that all adds up to NO kaboom. Also checks all Pushrods under 13".

Clear Anodized Billet Aluminum

SBC, BBC, Fords
HEMI, Fatheads

T-1133 **\$319**





Billet Primer Bottle Top **\$31**

Machined from BILLET Alum and precisely drilled to allow correct flow of fluid during priming of a blown alcohol or nitro engine. Fits most plastic bottles. A Must Have! **T-1005**



Sizes
4.187 - 4.500



Sleeve Puller

Sleeve puller is designed to quickly remove steel cylinder sleeves out of the engine block. Large loop handle grip protects one's hand from getting pinched by the slip-proof slide hammer. Puck can be replaced. Very popular with top fuel and alcohol teams.

Puck Only **\$121**



T-1098

\$83

Sleeve Installer

Sleeve installer is a quick and efficient way to install steel cylinder sleeves into the engine block. One size fits most sleeves. Very durable and rugged. Popular with top fuel and alcohol teams.

Chevy Oil Pump Primer



T-2030 \$23

Engine Oil Pump Primer with sleeve. Inserts into distributor hole to prime the engine with oil prior to initial startup. Fits most V8 GM engines

Valve Spring Compressor



\$314

T-1140

Valve Spring Compressor is one of the strongest on the market and is machined from 6061 BILLET Aluminum. This Spring Tool is designed to handle All-Out Racing Springs with more than 400lbs of seat pressure. This Spring Compressor kit comes with 3 different spring cups that accommodate a range from 1.250in up to 1.675in diameter.

Billet Aluminum Wrench Sets



T-1160 Single End AN3-12 ~~\$106~~ **\$79**

T-1180 Double End AN3-20 ~~\$192~~ **\$98**

Need Just One? Single Wrenches Available

Adjustable AN Wrench

Protect the anodize on your AN Hose Ends. Knurl Thumbscrew. Minimizes chance of over-tightening.



T-1150 AN3-8 **\$40**
T-1152 AN3-20 **\$45**

The newest member of the family is the mini. Great to have in your back pocket when you're on the starting line or if you need to get in tight spaces.

T-1154 \$38



Fits AN3-8

Valve Spring Pressure Tester

Allows one to check the valve spring pressure up to 500lbs while installed on the head. machined from BILLET aluminum for strength and anodized for ease of maintenance



T-1170 BAE FAT
T-1172 Miner Bros

Cylinder Head Work Stand

Adjustable arm allows one to set height and angle. Machined from BILLET aluminum for strength and anodized for ease of maintenance

Steel (Shown)
T-1145 HEMI

BILLET Aluminum
T-1148 SB & BB Chevy, HEMI



Same Day, Low Cost
Fast Worldwide Shipping!

www.DragParts.com



\$76

Spark Plug T-Wrench

Spark plug T-handle wrench is machined from steel for strength and durability. Has a 13/16 socket with an internal rubber boot for holding spark plugs in place during assembly & removal. Very popular among sportsmen teams.

T-1004



\$149

Powder Coated

Torque Spark Plug T-Wrench

Save time and head damage. This torque wrench only allows the spark plug to tighten to a **pre-determined 17 ft/lbs** setting (adjustable).

Machined from steel for strength and Very popular among Top Fuel & Alky.

T-1003 13/16 T-1003-58 5/8

“The Plug Gapper”

Quickly, precisely and accurately gap spark plugs. Billet Alum.



T-1001 Peanut Plug T-1002 Regular

\$59

Spark Plug Storage Rack

Heavy-Duty, yet lightweight rack is designed to store 8 spark plugs safely and in order. Large flat anodized bottom keep the rack upright and easily cleans up. Can be used stand-alone or bolted to a work bench. Those that assemble the engine top end will truly appreciate this rack regardless if they're at the shop or in the pits.



\$109

T-1136 Holds 8 .. \$39 T-1138 Holds 16 .. \$46

Valve Cover Speed Wrench

T-1008

Steel

\$39

Great Deal!

T-Handle Valve Cover Speed Wrench is machined from lightweight steel (or polished Stainless-Steel) with a steel 7/16 socket. Conveniently helps to tighten or loosen valve cover nuts. Ideal for the racer looking to save time between rounds.

T-1006 Polished Stainless-Steel ... \$69

Short Block Lift Bars



Makes it easy to lift the short block in & out of the frame rails. Slides over 2 head studs. Powdercoated Black (pair).

\$149

Fits: HEMI T-3050

Lower Crank Gear Installer



This tool allows one to safely install the crank gear onto the crankshaft. Has a knurl grip to prevent slippage and is heat-treated for durability. Will fit BBC, Hemi and other similar cranks.

T-1113 \$59

Crank Hub & Gear Remover



This tool allows one to safely remove the blower crank hub or harmonic balancer. Unlike some lightweight models, the remover is heat-treated and built tough. It also has a provision for removing the crank gear. Proven many times over by Top Fuel teams.

T-1112 \$234

Mag Timing Adjustment Wrench



MSD Magnetos

T-1015 .. \$155

Owners of MSD magnetos really appreciate this unique tool. The billet aluminum band remains clamped to the mag. The removable handle wrench allows for accurate adjustments of the mag while the engine is running. Very popular with Top Alcohol teams.

Magneto Drive Remover



T-1017 ... \$24

Designed to very quickly and safely remove the drive from a Mallory or MSD Magneto/ Distributor. It simply slips over and holds the 4-Pin or Hex Cross Drive so that one can remove the inner nut. No need to remove the magneto cap and hold the rotor. Ditto for installing the drive.

Large Online
Selection of Tools!



800/576-7661

**Injector Hat
Tool Tray** **\$129**

Injector Hat Tool Tray is made from high grade aluminum and black powder coated for an attractive long-lasting finish. The tray has plenty of space for tools & also accommodates 16 spark plugs. Fits on top of Bug, Bird & Buzzard. **T-3020**



Valve Train Trays

Trays are made of a very light-weight yet rigid plastic with built-in handles. The valve tray holds valve springs, valve locks, and the largest of valves. The rocker tray holds push rods, lifters, poly locks, spark plugs and rocker arms. Perfect for the home mechanic or pro racer.



JAZ-735-001-06 Valve & Spring **\$39**
JAZ-735-002-06 Rocker Arm & Lifter

Leakdown Tester **\$109**

Premiums Gauges
Billet Aluminum Housing
Ideal for: **Fuel Injection
or Engine Cylinders**

Dual Gauge are ideal where air source is less than 100psi



T-2001 Single Gauge **T-2003 Dual**

Rack 'em Up!

Piston & Rod

Safely hold and protect 8 Pistons & Rods during assembly. A must for the serious racer. **T-3003 \$157**



Head Repair

Here's a great rack to store your Valves, Lash Caps, Shims & Retainers during head repairs. Billet anodized aluminum bottom tray.

T-3009 ... \$109



Lifter/ Push Rod

Just set this tray in your lifter valley and store your pushrods & lifters in order.

T-3013 ... \$124



Clutch Loading

Rack is heavyduty yet light-weight. Holds discs and rotors. Designed by a racer for racers.

T-3004 3 Discs .. \$ 99

T-3005 5 Discs .. \$111



R U QUICK ENOUGH? Good Vibrations sponsors the Quick Reaction Time bonus for these Series!



Check out their Race Schedules

Vintage 7.60 Association




Same Day, Low Cost
 Fast Worldwide Shipping!

www.DragParts.com

Why Use CPE Braided SS Hose ??



Proven & Trusted by Top Teams, Stainless Steel Braid provides Durability and Heat Resistance. Inner liner is composed of Chlorinated Polyethylene (CPE) which provides the great fluid transfer with a temperature range of -40 degrees to +300 degrees F.



Discount Prices!

- AN-4 \$ 7.18/ft
- AN-6 \$ 6.90
- AN-8 \$ 8.90
- AN-10 \$ 9.90
- AN-12 \$ 10.90
- AN-16 \$ 13.90
- AN-20 \$ 17.90



NHRA/ IHRA Accepted

Want **BLACK** Hose?
XR-31 for the same price
 as Braided SS hose!



Uses the same Hose Ends
 as the Braided SS Hose

XR-31 Hose is tough, yet lightweight, durable, abrasion-resistant and economical. 3-Ply construction. High tube strength allows a tight bend radius capable for tight engine compartments.

Purosil Hose

Purosil Preformed Hose is very popular on Top Alcohol Fuel Systems.



Black or Blue

Ideal for Fuel Line from Tank to Pump



90 Deg Bend-Blue

- X-390125 1.25 ID \$ 49.40
- X-390150 1.50 ID \$ 52.57
- X-390175 1.75 ID \$ 55.79

3ft Straight -Blue

- X-370125 1.25 ID \$ 61.20
- X-370175 1.75 ID \$ 76.02

Fyre Jacket



Silver Silicone-Coated Glass can withstand temps up to 500 deg F. Easy Installation.

AN4 - AN12 from.. \$ 5.81/ft

Braided Stainless Steel TEFLON Hose



Braided Stainless Steel TEFLON Hose and Reusable Hose Ends are used in Brake, Clutch, Instruments and other applications where max high pressure protection is a must.

- AN-3 X-610003... \$ 3.62/ft
- AN-4 X-610004... \$ 4.34/ft

TEFLON Hose Ends



Steel

- | | | | |
|------------|------|-------------|----------|
| <i>Str</i> | AN-3 | X-600003 .. | \$ 7.05 |
| | AN-4 | X-600004 .. | \$ 6.62 |
| <i>45</i> | AN-3 | X-604503 .. | \$ 10.95 |
| | AN-4 | X-604504 .. | \$ 10.95 |
| <i>90</i> | AN-3 | X-609003 .. | \$ 10.95 |
| | AN-4 | X-609004 .. | \$ 10.95 |

TEFLON Hose Assembly



We stock Pre-Assembled AN3 & AN4 Braided SS Teflon Hose Assemblies. Straights or 90 Deg Ends.



Lengths: 9" - 50" from.. \$9.77



Extensive Online Fitting Selection



800/576-7661

Stainless-Steel Tubing

Great for plumbing your Brake, Fuel or Fire System.

- E-ST18 3/16 **\$9 ft**
- E-ST25 1/4 **\$7 ft**
- E-ST37 3/8 **\$7 ft**
- E-ST50 1/2 **\$8 ft**



Seamless!!

Tube Nuts



Tube Sleeves



BLACK or BLUE

Works on Steel or Alum Hard Line.

AN-3	X-981803....	\$ 1.05	X-981903....	\$ 1.05
AN-4	X-981804....	\$ 1.05	X-981904....	\$ 1.05
AN-6	X-981806....	\$ 1.35	X-981906....	\$ 1.37
AN-8	X-981808....	\$ 1.96	X-981908....	\$ 1.52
AN-10	X-981810....	\$ 2.77	X-981910....	\$ 2.31
AN-12	X-981812....	\$ 3.71	X-981912....	\$ 3.76
AN-16	X-981816....	\$ 5.33	X-981916....	\$ 3.81

Flaring Tool

Also Deburs!



\$113

X-821050

Roll-Flair flaring tool is designed specifically for hard-line tubing. Flares 37 degrees (true AN). Fits 1/8 to 3/4"



\$147

KT-P51

Surseat Line Lapper

Removes irregularities 37 & 45 Degrees



Surseat Mini Lapper

Gets into Tight Spaces 37 & 45 Degrees

KT-P37 KT-P45 **\$59ea.**

Most Hose Ends also Available in: **Black & Super Nickel**




Hose Ends

AN-4	100004	\$ 8.10
AN-6	100006	\$ 8.63
AN-8	100008	\$ 10.89
AN-10	100010	\$ 14.21
AN-12	100012	\$ 19.44
AN-16	100016	\$ 26.69
AN-20	100020	\$ 42.11



Swivel Ends allow one to position hose end after it has been installed on hose.


45 Degree



Fixed Swivel

AN-4	104504 ...	\$ 18.99	
AN-6	104506 ...	\$ 20.88	204506 ... \$ 23.22
AN-8	104508 ...	\$ 24.62	204508 ... \$ 27.23
AN-10	104510 ...	\$ 29.16	204510 ... \$ 31.69
AN-12	104512 ...	\$ 35.19	204512 ... \$ 37.98
AN-16	104516 ...	\$ 39.29	204516 ... \$ 42.56
AN-20	104520 ...	\$ 74.03	204520 ... \$ n/a

90 Degree



Fixed Swivel

AN-4	109004 ...	\$ 19.34	
AN-6	109006 ...	\$ 20.88	209006 ... \$ 22.77
AN-8	109008 ...	\$ 24.62	209008 ... \$ 28.00
AN-10	109010 ...	\$ 29.16	209010 ... \$ 31.69
AN-12	109012 ...	\$ 35.19	209012 ... \$ 38.03
AN-16	109016 ...	\$ 40.04	209016 ... \$ 42.56
AN-20	109020 ...	\$ 75.42	209020 ... \$ n/a

180 Degree



Fixed Swivel

AN-4	118004 ...	\$ 24.22	
AN-6	118006 ...	\$ 25.92	218006 ... \$ 25.62
AN-8	118008 ...	\$ 29.82	218008 ... \$ 30.29
AN-10	118010 ...	\$ 33.01	218010 ... \$ 34.06
AN-12	118012 ...	\$ 37.42	218012 ... \$ 42.25
AN-16	118016 ...	\$ 44.48	218016 ... \$ 55.41

Hose Ends also Available in: 30, 60, 120 & 150 Degree



Push-On Hose

Hose From.. **\$4.10/ft**



CPE elastomer tube, textile braid reinforced with CPE elastomer cover. Max operating temperature of 250°. **Ideal for:** Fuel, Air & Water.

Push-On Hose Clamp Hand Tool



X-818000

\$88.22

XRP Push-on hose clamp pliers. Specially designed for XRP hose clamps for ease of installation and removal. Manufactured from steel with rubberized grips.



Str

Hose & Fittings Blue or Black



90

AN4	X-230004	\$ 5.16	X-239004	\$ 17.19
AN6	X-230006	\$ 5.16	X-239006	\$ 18.41
AN8	X-230008	\$ 6.14	X-239008	\$ 22.12
AN10	X-230010	\$ 8.30	X-239010	\$ 25.34
AN12	X-230012	\$ 13.27	X-239012	\$ 30.12

Also in Stock: 30 45 60 120 150 180 Deg!



Same Day, Low Cost
Fast Worldwide Shipping!

www.DragParts.com




Hose Fitting Assembly


Online Assembly




1. Wrap hose tightly with tape at cutting point. Using a fine tooth hacksaw, cable cutters or radiac wheel, cut the hose in the middle of the tape. Remove tape after cutting being careful not to fray the braid.




2. Slip hose into socket to the depth indicated by the hose insertion mark on the outside of the socket. This should be just short of the back of the threads. **VERY IMPORTANT** - Mark hose with tape or suitable marking device at rear of socket. This mark will later indicate to you if the hose has pushed out of the socket during assembly.



3. Using an anti-seize lubricant, liberally lubricate inside of hose and threads on the nipple. Holding nipple horizontally in a vise equipped with soft aluminum jaws, push socket end carefully with hose nipple with a turning motion and engage nipple threads into those of the socket. Continue tightening by hand as far as possible to make sure that the threads are properly mated and no cross threading has occurred.



4. Using an aluminum fitting wrench, finish tightening assembly. When properly assembled a small gap of .030" or less should exist between the socket and shoulder of nipple. **NOTE:** Check marks on hose in step 2 for any evidence of push out. Hose assembly must be cleaned and tested to twice the operating pressure.



No more Bloody Fingers!

Assemble Braided Stainless Steel hose without poking your fingers. Ideal for racers and performance enthusiasts who have experienced the painful challenge of installing the AN socket.



- KT-468 3pc Kit AN4-6-8 \$ 75
- KT-681 3pc Kit AN6-8-10 ... \$ 79
- KT-1016 3pc Kit AN10-12-16 \$ 89
- KT-416 6pc Kit AN4-16 \$149
- KT-409 Push-on Assy Press \$260

How-To Demo

Teflon Hose Separating Tool

Easiest way to assemble braided stainless steel AN3 & AN4 Teflon Hose.



\$41

X-821060



AN3-20

Professional AN Wrenches
2024 aluminum

Precisely sized for a perfect fit on AN fittings. Anodized in colors, XRP wrenches are fully radiused to fit your hand. Machined from heat treated.



- X-750000 Double End (4pcs) \$ 89
- X-750001 Single End (8pcs) \$179



Aluminum Vice Jaws

Vice Jaw inserts protect your hose ends during assembly. Each jaw has a magnetic backing to prevent them from falling out of the vice when opened.

X-821010 \$19



Wild Thang'



Discounted Performance Warehouse!

Extensive Online Fitting Selection

AN Fittings

800/576-7661

Hex Pipe Plug

Internal hex for smooth finish and easy installation.



1/8	X-993202 (pr)	\$ 2.75
1/4	X-993203 (pr)	\$ 2.75
3/8	X-993204 (pr)	\$ 3.48
1/2	X-993205	\$ 3.68
3/4	X-993206	\$ 4.66

EPR O-Rings

Long Lasting - Won't Shrink

AN3	X-803003	\$ 4.06
AN4	X-803004	\$ 4.64
AN6	X-803006	\$ 5.55
AN8	X-803008	\$ 5.55
AN10	X-803010	\$ 8.75
AN12	X-803012	\$ 8.75
AN16	X-803016	\$ 5.00*
AN20	X-803020	\$ 6.89*



Gas E85 Alcohol & Nitro

* packs of five

AN Flare Reducers



Female to Male

AN6-4	X-995006	\$ 7.54
AN8-6	X-995008	\$ 8.77
AN10-6	X-995010	\$ 9.64
AN10-8	X-995011	\$ 9.64
AN12-8	X-995012	\$ 11.45
AN12-10	X-995013	\$ 11.45
AN16-12	X-995017	\$ 27.48

Most Fittings are available in: Red/ Blue, Black and Super Nickel



Flare Plug

AN-3	X-980603	\$ 1.59
AN-4	X-980604	\$ 1.59
AN-6	X-980606	\$ 1.59
AN-8	X-980608	\$ 2.96
AN-10	X-980610	\$ 3.80
AN-12	X-980612	\$ 5.55
AN-16	X-980616	\$ 6.38

Port Plug

X-981403	\$ 1.93
X-981404	\$ 2.29
X-981406	\$ 2.36
X-981408	\$ 3.71
X-981410	\$ 5.58
X-981412	\$ 8.26
X-981416	\$ 9.41

Flare Cap

X-992903	\$ 2.08
X-992904	\$ 2.42
X-992906	\$ 3.94
X-992908	\$ 4.66
X-992910	\$ 5.71
X-992912	\$ 7.54
X-992916	\$ 8.67

Hex Nut

X-992403	\$ 1.05
X-992404	\$ 1.02
X-992406	\$ 1.17
X-992408	\$ 2.26
X-992410	\$ 2.29
X-992412	\$ 2.61
X-992416	\$ 4.64

Flare Adapters

AN-3	981503	\$ 3.06	AN Flare Coupler
AN-4	981504	\$ 3.06	
AN-6	981506	\$ 3.06	
AN-8	981508	\$ 5.44	
AN-10	981510	\$ 6.21	
AN-12	981512	\$ 12.06	
AN-16	981516	\$ 17.36	



4-3	991902	\$ 4.59	AN Flare Reducer
6-4	991906	\$ 4.69	
8-6	991912	\$ 6.70	
10-6	991914	\$ 8.27	
10-8	991915	\$ 8.01	
12-8	991919	\$ 12.39	
12-10	991920	\$ 12.39	
16-10	991922	\$ 16.91	
16-12	991923	\$ 16.91	
20-12	991925	\$ 23.45	
20-16	991926	\$ 27.77	




Black or Blue

Flare to Pipe Adapters




Flare - Pipe

	Straight	45 Degree	90 Degree
AN-3.....1/8	981603 \$ 2.57	982303 \$ 8.07	982203 \$ 8.23
AN-4.....1/8	981604 \$ 2.57	982304 \$ 8.21	982204 \$ 8.35
AN-6.....1/4	981606 \$ 2.77	982306 \$ 8.44	982206 \$ 8.59
AN-6.....3/8	981666 \$ 3.59	982366 \$ 11.32	982266 \$ 11.55
AN-8.....1/4	981607 \$ 3.71	982307 \$ 14.46	982207 \$ 14.46
AN-8.....3/8	981608 \$ 3.71	982308 \$ 10.24	982208 \$ 10.45
AN-8.....1/2	981688 \$ 5.44	982388 \$ 16.28	982288 \$ 16.59
AN-10....1/2	981610 \$ 5.53	982310 \$ 16.14	982210 \$ 16.45
AN-10....3/4	981613 \$ 10.12	982313 \$ 24.10	982213 \$ 24.10
AN-12....3/4	981612 \$ 10.12	982312 \$ 24.10	982212 \$ 24.10



AN Thread Sizes



AN Size	Metal Tube O.D.	Thread Size
4	1/4"	7/16-20 UNJ
6	3/8"	9/16-18 UNJ
8	1/2"	3/4-16 UNJ
10	5/8"	7/8-14 UNJ
12	3/4"	1-1/16-12 UNJ
16	1"	1-5/16-12 UNJ
20	1-1/4"	1-5/8-12 UNJ



FREE Catalog!


800/576-7661



Male Flare to Female Swivel Tee



AN4	X-900304....	\$ 15.17
AN6	X-900306....	\$ 18.78
AN8	X-900308....	\$ 27.44
AN10	X-900310....	\$ 33.23
On Run AN12	X-900312....	\$ 34.67
AN16	X-900316....	\$ 83.36



Female Swivel Coupler



AN6	X-900104	\$ 7.32
AN6	X-900106	\$ 7.49
AN8	X-900108	\$ 9.03
AN10	X-900110	\$ 10.97
AN12	X-900112	\$ 15.38
AN16	X-900116	\$ 21.40



Female Swivel Coupler - 90 Deg

AN4	X-929004 ...	\$ 14.75
AN6	X-929006 ...	\$ 14.75
AN8	X-929008 ...	\$ 16.64
AN10	X-929010 ...	\$ 21.05
AN12	X-929012 ...	\$ 22.73
AN16	X-929016 ...	\$ 46.83



Fuel Pressure Take Off Adapters



Tapped
1/8 Pipe
on the
Hex



X-700192	-6 Male to -6 Male	\$ 9.24
X-700194	-6 Male to 3/8" Male NPT	\$ 9.24
X-700195	-6 Male to -6 Female Swivel	\$ 11.04
X-700196	-8 Male to -8 Male	\$ 10.80
X-700198	-8 Male to 3/8" Male NPT	\$ 10.80
X-700199	-8 Male to -8 Female Swivel	\$ 12.83
X-700202	-10 Male to -10 Female Swivel	\$ 16.52

AN6	X-929106 ...	\$ 15.84
AN8	X-929108 ...	\$ 16.75
AN10	X-929110 ...	\$ 21.40
AN12	X-929112 ...	\$ 27.67
AN16	X-929116 ...	\$ 41.84



Female to Male Swivel Adapters



45 & 90 Degrees
Sizes: AN4 -16

Great for Tight Spaces



Hose Finishers

Anodized Aluminum
Stainless-Steel
Worm Clamp



AN4	X-550104	\$ 4.81
AN6	X-550106	\$ 4.92
AN8	X-550108	\$ 5.13
AN10	X-550110	\$ 6.14
AN12	X-550112	\$ 7.21



Gauge Fittings

Connect your
Gauges to
AN Hoses

a.	X-705003	AN3 Male Str to 1/8 Fem NPT	\$ 5.85
a.	X-705004	AN4 Male Str to 1/8 Fem NPT	\$ 2.26
b.	X-795003	AN3 Male Str to 1/8 Fem NPT	\$ 7.26
b.	X-795004	AN4 Male Str to 1/8 Fem NPT	\$ 7.26
c.	E-248-3A	AN3 Male Str to 1/8 Male NPT	\$ 1.99
d.	E-248-3	AN3 Male Str to 1/8 Male NPT	\$ 1.99
e.	X-705093	AN3 90 Deg to 1/8 Fem NPT	\$ 5.74
e.	X-705090	AN4 90 Deg to 1/8 Fem NPT	\$ 4.06

Also 1/4 NPT in Stock.

Swivel Pipe Adap

AN to Male Pipe

Straight or 90 Degrees



AN3 - AN12 | 1/8 to 3/4 NPT



Stop by the Good Vibrations Racer Support
Trailer at Selective West Coast Races.



Extensive Online
Fitting Selection



800/576-7661

BILLET Aluminum Weld Bungs ... Ideal for Fuel & Oil Systems



AN Thread

Female

Male



Pipe Thread

Hex

Round



AN6	X-987106	\$ 10.62	X-997106	\$ 4.25
AN8	X-987108	\$ 11.27	X-997108	\$ 5.64
AN10	X-987110	\$ 13.30	X-997110	\$ 6.63
AN12	X-987112	\$ 13.74	X-997112	\$ 11.25
AN16	X-987116	\$ 19.82	X-997116	\$ 13.02
AN20	X-987120	\$ 27.44	X-997120	\$ 17.54

1/8	X-996701	\$ 3.97	X-996801	\$ 3.41
1/4	X-996702	\$ 4.43	X-996802	\$ 3.50
3/8	X-996703	\$ 5.53	X-996803	\$ 3.94
1/2	X-996704	\$ 6.51	X-996804	\$ 4.31
3/4	X-996706	\$ 9.31	X-996806	\$ 4.50
1"	X-996708	\$11.04	X-996808	\$ 5.16

What are AN ORB Adapters?

Male AN *Flare* to *Inverse* Male AN with an *O-Ring*.

High
Contour
Flow!



Straight

Anodized
Black



45 Degree



90 Degree

AN3	X-980003	\$ 6.02	X-984503	n/a	X-989003	\$15.12
AN4	X-980004	\$ 6.34	X-984504	\$11.34	X-989004	\$11.28
AN6	E-815-6	\$ 5.26	X-984506	\$14.81	X-989006	\$13.52
AN8	E-815-8	\$ 6.86	X-984508	\$16.98	X-989008	\$15.52
AN10	E-815-10	\$ 9.18	X-984510	\$25.64	X-989010	\$23.75
AN12	E-815-12	\$ 11.63	X-984512	\$38.64	X-989012	\$36.51
AN16	E-815-16	\$ 17.74	X-984516	\$44.25	X-989016	\$44.25
AN20	E-815-20	\$ 21.76	X-984520	\$58.49	X-989020	\$58.49

ORB Reducer	E-919-6-8	\$ 8.99
	E-919-6-10	\$ 11.99
	E-919-8-10	\$ 11.99
	E-919-8-12	\$ 13.99
	E-919-10-12	\$ 13.99
	E-919-12-16	\$ 21.99
	E-919-16-20	\$ 26.99

Reducers are designed to reduce the inverse flare ORB side to a smaller male AN size. O-ring will be on the larger AN side.

ORB Expander	E-919-8-6	\$ 8.99
	E-919-10-8	\$ 8.99
	E-919-12-8	\$ 8.99
	E-919-12-10	\$ 13.99
	E-919-16-8	\$ 21.99
	E-919-16-12	\$ 21.99
	E-919-20-16	\$ 26.99

ORB Expanders are designed to expand the inverse flare ORB side to a larger male AN size. O-ring will be on the smaller AN side.

Aluminum Fill Caps



From \$30

O-Ring



Steel & Alum
Weld Bungs



3.75"

Easy Turn
Buna O-Ring



2.25
ID

JAZ Caps

Bung Size 1.625, 2.00 & 2.75"
Threads 1.25, 1.50 & 2.25"

Liquid Filled Pressure Gauge

Great for *Oil* or *Fuel Pressure*, or *Blower Boost*. Liquid filled for stability and longevity.

Shock Resistance !

- X-710000 0-15psi
- X-710030 0-30psi
- X-710060 0-60psi
- X-710100 0-100psi



1.50in
Diameter

\$39.99



Same Day, Low Cost
Fast Worldwide Shipping!

www.DragParts.com

Intake Gaskets

Accu-Seal is the first choice of engine builders and race teams. Delivers precision fit, durability and economy all in one. **Pro** utilizes state-of-the-art materials such as *proprietary steel core laminate with teflon coating, viton oil seals, and molded rubber* for selected Oil Pan and Valve Cover applications.


- SCE-111101 SBC 1.20 x 2.00 Port
- SCE-111102 SBC 1.25 x 2.275 Port
- SCE-111103 SBC 1.25 x 2.275 (1266) Thick
- SCE-113102 BBC 1.8 x 2.5
- SCE-113115 BBC 1.8 x 2.5 No Top bolt
- SCE-113116 BBC 1.8 x 2.5 No Top bolt. Thick
- G-2210 426 Hemi Stock Port 2.375 **\$18**
- G-2212 426 Hemi Medium Port 2.75 **\$18**
- G-2215 426 Hemi KB ALPE 6 Bolt **\$20**
- G-2215 426 Hemi KB ALPE 10 Bolt **\$20**
- SCE-167101 392 Hemi Stock Port
- SCE-167103 392 Lrg Stock ALPE 417 Don
- G-2218.10 Hemi/BAE/TFX End Rail (10pr) **\$10**



Sold in Pairs!

Silicone Ports

- SCE-211101 SBC 1.20 x 2.00 Port (1256)
- SCE-211102 SBC 1.25 x 2.20 Port (1205)
- SCE-211128 SBC 1.30 x 2.24 Port (1206)
- SCE-213102 BBC 1.80 x 2.50 Port (1211)
- G-2247 BB Chevy 1.80 x 2.50 Port (1275)
- SCE-213115 BBC 1.80 x 2.50 Port (1275)
- SCE-218101 Big Chief/ Big Duke (1298)
- SCE-267101 354-392 Hemi Fuel/ Alky



Oil Pan Gaskets

Superb Quality - Reusable
Gas - E85 - Alcohol - Nitro

PREMIUM - Street/ Strip

- SCE-111091 SBC Pre 1974 Thin Front Seal
- SCE-113090 BBC .090 Thick
- SCE-113091 KB Olds .090 Thick
- SCE-113092 Merlin Block, Large Stroke
- SCE-167091 417 Hemi
- G-2110 426 Hemi, KB, BAE **\$12**
- G-2114 TFX-92 **\$13**
- G-2118 TFX-96 **\$13**

PROFESSIONAL Oil Pan Gaskets

- * Steel-Core
- * Teflon Coated
- * Reusable



All Fuels Including Nitro

- SCE-211090 SB Chevy 1pc Molded Pre 1986
- SCE-211092 SB Chevy 1pc Molded Post 1986
- SCE-213090 BB Chevy 1pc Molded Gen 4
- SCE-213091 BB Chevy 1pc Molded Gen 5-6
- SCE-235091 BB Ford 1pc Molded
- SCE-274090 481X Rodeck
- SCE-266091 KB BAE Hemi
- SCE-261091 TFX 92 Hemi
- SCE-261092 TFX 96 Hemi

Simply
the Best.



Engine

Seals



Front Rear Viton

SB Chevy	SCE-11102	SCE-21105
BB Chevy	SCE-11302	SCE-21305
351W	SCE-13602	SCE-23605
BB Ford	SCE-13502	SCE-23505
SB Mopar	SCE-16902	SCE-16904
BB Mopar	SCE-16402	SCE-26405
417 Hemi	SCE-16702	SCE-16705
426 Hemi	SCE-16602	SCE-26605





Extensive Online Gasket Selection



800/576-7661



Valve Cover Gaskets

PREMIUM Rubber with Steel Core

- G-2320 SB Chevy **\$14**
- G-2325 BB Chevy **\$15**
- G-2330 SB Ford **\$15**
- G-2335 351C Ford **\$15**
- G-2340 428 Ford **\$18**
- G-2345 429-460 Ford **\$17**
- G-2305 SB Mopar **\$16**
- G-2355 330-455 Olds **\$17**
- G-2350 Pontiac **\$19**



Re-Usable! **Sold in Pairs!**

STREET/ STRIP Laminated Cork/ Silicone


- SCE-211075 SB Chevy
- SCE-213075 BB Chevy .125
- SCE-213076 BB Chevy .250
- G-2310 426 Hemi **\$20**



Seals where others won't

PROFESSIONAL Steel-Core & Teflon Coated

- SCE-213078 BB Chevy
- SCE-218078 Big Chief
- SCE-218078 KB Olds
- SCE-266075 KB BAE 1/4 holes
- SCE-261075 KB BAE 5/16 holes
- SCE-267077 Hemi Early



Superb Quality - Reusable Gas - E85 - Alcohol - Nitro

Front Cover



Includes: Timing Cover, Water Pump & Fuel Pump Gaskets

- SCE-11100 SB Chevy
- SCE-11300 BB Chevy
- SCE-13600 SB Ford
- SCE-13500 BB Ford
- SCE-15200 351C Ford
- SCE-16900 SB Mopar
- SCE-16400 BB Mopar
- SCE-16600 426 Hemi




Good Vibrations Motorsports is proud to be the Title Sponsor of the UNFC Series.

Premium Blower Gaskets

These premium gaskets are race tested and proven in Top Fuel/ Alcohol & Blown Gas.

Blower Base

- G-2022 6.71 **\$ 9**
- G-2022.3 3-Pack **\$18**
- G-2028 8-10.71 **\$ 9**
- G-2028.3 3-Pack **\$24**
- G-2032 14.71 **\$12**
- G-2032.3 3-Pack **\$32**



Blower Inlet

- G-2012 Small w/o Screen **\$ 7**
- G-2012.3 3-Pack Special **\$15**
- G-2014 Small w/ Screen **\$ 9**
- G-2014.3 3-Pack Special **\$22**
- G-2016 Large w/o Screen **\$ 7**
- G-2016.3 3-Pack Special **\$15**



- B-5019 Inj Hat Stud Kit .. **\$12**



Bearing & other Blower Gaskets... See Page 20

Carb Base Gaskets

Holley Carb gaskets are heat resistant and standard thickness. Will handle the rigors of **supercharged** engines.



- G-2070 Carb Gasket **\$ 4**
- G-2072 Dom Gasket **\$ 4**
- SCE-355 4 Port Gasket **\$ 3**





FREE Catalog!

Benefits of Using Copper

Conductivity. Copper is the standard by which all other conductors are measured, therefore a copper gasket provides superior thermal conductivity, acting to stabilize head and block temperatures which makes tuning easier.

25% Coefficient of Elasticity. One of the properties of copper is that it stretches before a catastrophic failure, providing an extra measure of safety in case of severe detonation.

Strength. Copper (in the form SCE uses) has a tensile strength of approximately 32,000 psi, compare this to the 1200 to 1800 psi tensile of most facing materials used on conventional performance head gaskets.

Copper Head Gaskets

**Premium Quality * Properly Annealed
Perfect Fit * Dead Soft Copper**

**Track Tested & Proven by Top Fuel
& Alcohol Racers**

SCE-31541 304 Stainless Steel .041 O-Ring Wire. 15ft



Original



Thickness
.032 - .080

In Stock:
SB Chevy
BB Chevy
LS Chevy
Late Hemi
Early Hemi
Donovan
SB Mopar
BB Mopar
Ford 429
Arias


Sold in Pairs

The World's First *Self-Sealing*

SCE's TITAN series gaskets provide unbeatable strength and user friendly installation. This patented headgasket gives you the best of both worlds.

The combustion sealing strength of a SCE copper headgasket and the confidence of **built-in coolant and oil passages!** The perfect racing and performance Copper Headgasket!

Self-Sealing



Self-Sealing & *Integrated O-ring*

Same as above but with a **Integrated Steel O-Ring** means there is no need to machine your Block or Heads!

Embedded silicone to seal oil and water passages. Soft copper is ready to use.

Self Sealing with O-Ring



*Prices, Tech
& Selection*

No
Machining
Required!

**How to Install
Copper Gaskets**





Professional
Products
at Sportsman
Prices!



Large Selection
Gaskets Online

Copper Gaskets⁵¹

800/576-7661

Pro-Copper Exhaust Gaskets



SCE Copper Exhaust Gaskets will permanently seal a warped or uneven flange.

Reusable!

**Raised Embossed
Non-Embossed**

In Stock: Chevy, Mopar, Ford, More...

Collector Gaskets


Use SCE copper collector gaskets for maintenance free operation.



Sizes: 2.5, 3, 3.5in **\$16/pr**

SCE's Graph-Form Exhaust Gaskets

Offer easy-to-fit positive sealing in any severe duty exhaust systems from racing & performance to mild street applications. Will seal on warped, pitted or uneven surfaces up to 1/16".
Outperforms all competing brands!



Exclusive high-density 1/8" thick carbon-graphite material outperforms all competing brands in sustained high temperature operation.

In Stock:
SB Chevy
BB Chevy
Late Hemi
Early Hemi
Donovan
SB Mopar
BB Mopar
Ford 429
Arias

Header Stud Kit
Premium Steel Studs
12pt Chromoly Nuts
F-HS-BBC 16ea
F-HS-HEMI 20 or 26



Premium Zoomie Header Kits

FC/Altered
(Double Wall)

Dragster
(Single Wall)

Weld-Up Kits



**3/8" Thick Flanges
.065 Wall Thickness**

**Header Kits
IN STOCK:**

SB Chevy
BB Chevy
392 Hemi
426 Hemi
440 Mopar
BAE, TFX,
KB, Veney

USA Quality

These are superior to your plain old muffler shop steel!

2.25 or 2.50" Diameter

Single Wall ... **\$395**

Double Wall ... **\$495**

Includes: Straps & Flanges!



Zoomie Covers

Sheet Metal Aluminum
Keeps Cold Air off Valves
Prevents Uninvited Rocks
Won't Rust

Fits 2.25 & 2.50"

C-8140 (pr) **\$109**

Female 1/8 NPT Weld Bung
Steel C-8090 **\$7ea**



Tested and Proven for over 50 years by top teams like: **John Force, Frank Manzo, Jim Dunn, Jay Payne, etc..**

*Same Day, Low Cost
Fast Worldwide Shipping!*

www.DragParts.com

- Billet Aluminum Cover
- O-Ring on Backside
- Chromoly E-9310 Gears
- Fixed Idler Gear
- Premium Fasteners
- Seal Retainer
- Built-In Crank Trigger Bracket
- Fully Adjustable TDC Pointer
- Scalloped Style Extension

Cam Hex: 3/8 7/16 1/2 or 5/8

Premium Billet Gear Drives



One of the strongest on the market!



- ACC-2732 BB CHEVY
- ACC-2740 KB Olds/ Arias Century
- ACC-2747 KB TFX BAE Tall

Proven by Top Fuel & Alcohol Teams

- FI-2310 Fuel Pump BILLET Aluminum Clamp
- FI-2313 Fuel Pump BILLET Aluminum Clamp. Fits Enderle Exts
- B-2119 Cam Cover. Scallop Style (BBC- KB-BAE-TFX, etc..)
- B-2121 Cam Cover. Non-Scalloped Style (BBC-KB-BAE-TFX, etc..)
- RCD-300209-03 5/8-3/8 Steel Hex Adap
- B-2113 3/8 Hex Premium Steel Shaft 3" B-2115.. 5"
- B-2123 QR Pump Ext 3" Fits Scalloped Style B-2125.. 5"
- B-2126 QR Pump Ext 5" Fits Non-Scalloped Style B-2128.. 6"
- G-3575 Cam Torrington Bearing 3pc HEMI G-3378.. Lrg Cam

Gear Drive Components



Chromoly Crank Gears

- B-2150 HEMI. RCD Spline
- B-2155 HEMI. PSI Spline - Bryant
- B-2160 HEMI. PSI Spline - Velasco
- B-2165 HEMI. Double 1/4 Keyways

Also BB Chevy in Stock

Std
.010
.020



Chromoly Cam Gears & Hubs

- B-2145 Cam Hex Drive (3-bolt)
- B-2145-6 Cam Hex Drive (6-bolt)
- B-2146 Cam Gear & Hub Assembly

BBC
HEMI



Hex Sizes
3/8
1/2
5/8



Billet Gear Drives

- RCD-251000-0003 SBC
- RCD-251000-0006 SBC w/ BBC
- RCD-251000-0009 SBC Tall
- RCD-251000-0012 SBC Tall w/ BBC
- RCD-253500-0004 TFX
- RCD-254000-0040 417 Donovan





Cast Gear Drives

*Will handle the rigors
of blown and nitrous
engines!*

- Cast Alum Cover
- Chromoly Gears
- Fixed Idler
- Quality Fasteners
- 3 PC Torington

A Great Value!



- Removable Cam Cover
- Adjustable Bolt Pattern on Cam Gear
- 3pc Bearing to Control Cam Movement

- MIL-12000 SB CHEVY
- MIL-12250 SB CHEVY Injected
- MIL-12600 BB CHEVY
- MIL-12608 BB CHEVY MK VI
- MIL-12700 BB CHEVY Injected
- MIL-12706 BB CHVY Mk VI Inject
- MIL-13250 BB MPR/ Hemi Injected
- MIL-12970 16200-12700 Conversion
- MIL-14900 DVD: How to Degree a Cam



Drive your Mechanical Fuel Pump off a Jesel Belt Drive



SB & BB
CHEVY



Billet Bracket w/ Mounting Hardware
3/8 or 1/2 Left Hand Hex Drive

Enter \$100 Drawing !



Send us a pic of your ride with our frame and you'll be entered in the \$100 drawing !

*** PreOwned Performance Parts ***

We pay CASH for good, used Race Parts!



Roots Blowers
Pulleys & Belts



Injection Hats
Fuel Pumps



Safety Equipment
Magneto Ignitions



Oil Pumps



Specialty Tools



AN Fittings & Hose



Current Used
Parts Inventory





FREE Catalog!

www.DragParts.com



Motor oils, transmission fluids and gear oils are flowing lubricants that provide a film barrier between metal surfaces pressing or rubbing together. The greater the film strength, the better the oil. However, in extreme pressure metal-to-metal areas, the film strength of oil is seriously thinned and is often completely squeezed out. On the other hand, **Prolong** is a bonding lubricant. **Prolong AFMT™** interacts with metal surfaces in a molecular and chemical process to create a protective buffer on the surface of the metal. This is not a film or coating over the metal. Molecules in the AFMT™ formula are polarized and actually bond with the metal surface. The layer of AFMT™ molecules is activated by extreme pressure and heat, meaning that **Prolong** lubrication performs best right where it is needed most! The result, AFMT™ significantly reduces harmful friction and heat.

Fortified with Prolong's advanced technology, nothing works better than Prolong Oil Stabilizer to help **solve lubrication-related** problems. Other oil stabilizers on the market do not include the necessary additives provided by today's motor oils, such as antioxidants. The formulation of Prolong Oil Stabilizer includes: Prolong's AFMT™ (Anti-Friction Metal Treatment) advanced technology as well as vital additives to provide a completely formulated oil stabilizer product, which sets this product apart from the other competitors. (32oz)

Works great in high horsepower, drag racing engines especially those injected or blown.

Fuel: Gas, methanol, diesel or nitro fuels.

Oil Stabilizer



PSL13032 **\$14**

Prolong Waterless Wash & Shine is a revolutionary new method of washing and shining your car in less than 15 minutes without water. No buckets, no hoses, no rinsing and drying! Simply spray on the surface and wipe dry. With Waterless Wash & Shine you can conveniently and quickly wash your race or show car anywhere, anytime. Leaves a protective film that provides gloss, color and smoothness that conventional car washes fail to deliver. (17oz)

Safe & effective on race and show cars.

Wash & Shine



PSL64017 **\$7**



50W Oil for Alky & Nitro

Nitro 50W Racing Oil, Specifically developed for racing engines fueled by Alcohol and Nitromethane. Exceeds the demands of high displacement, high RPM racing engines.

(1 Gallon)

PSL14501 **\$45**

Super Penetrating Lubricant Spray is formulated with AFMT™ (Anti-Friction Metal Treatment) advanced technology to **lubricate, penetrate, and prevent** corrosion, free sticky mechanisms, **displace** moisture, stop squeaks, and reduce friction and wear on all metal surfaces. **Easy-to-apply** protection and lubrication for hundreds of performance & recreational uses as well as industrial applications such as light duty machining, tapping and drilling fluid. (16oz)

4 oz **PRO1-40004 \$6** 16 oz **PSL40016 \$12**

Ideal for:

Enderle & Hilborn fuel pumps, barrel valves & shutoffs.

Lubricant



We also Stock Pro-One Products



**Oil Stabilizer
Penetrating Oil
Greases
Engine Treatment**





Racing Oil Key Benefits:

- High Zinc Fortified
- Perfect oil for high RPM engines
- Extra Protection
- Lower Oil Temperature
- Compatible With Methanol Or Racing Gas
- Less Drag For More Horsepower!



Break-in Engine Oil

- LOP-10635 20W-50 Oil 1 Qt .. \$ 8
- LOP-10636 20W-50 Oil 5 Qt .. \$30



Racing Engine Oil - (5 Quarts)

- LOP-10621 20W-50 \$36
- LOP-10347 50W \$41
- LOP-10910 60W \$46
- LOP-10348 70W \$46



Racing Engine Oil - (5 Gallons)

- LOP-10095 50W \$113
- LOP-10697 60W \$123
- LOP-10266 70W \$123

Hot Rod & Classic Engine Oil

- LOP-10683 10W-40 Oil 5Qt \$36

Because many of these very special machines often spend long periods off the roads, special additives are formulated into the oil. Similar to Lucas' Marine oils that provide rust and corrosion protection



Lower cylinder head temps. **Super Coolant**
Allow advanced timing and more horsepower.
Reduce operating temperatures by up to 20°.
Prevents corrosion and deposits that cause leaks, overheating, and cooling system failures.

- LOP-10640 Super Coolant 16oz \$13



Transmission Sure Shift

*Smooth, precise shifting * Extraordinary protection*

This is no normal ATF formulation. It has been developed to give the smooth, precise shifts needed by racers and yet extends a degree of protection not found in any other ATF. This product will stop wear and tear like nothing you've ever tried

- LOP-10052 1 Qt. \$8



SAFEGUARD™ ETHANOL Fuel Conditioner With Stabilizers

Lucas Safeguard™ was developed to specifically address issues associated with using ethanol based fuels. This applies to E-10, E-15, E-85, pure ethanol and any mixtures in between including gasoline. Safeguard™ is completely soluble in all ethanol fuels and will not harm filters. Contains effective additives to prevent rust and corrosion associated with the use of ethanol fuels.



- LOP-10670 Ethanol/ Alky Conditioner 5.2oz \$7
- Treats 80 Gallons**

Synthetic Gear Oil

SAE 75W-90 Synthetic Gear Oil is a non-foaming, super slick, long lasting lubricant designed especially for high performance applications where other gear lubricants just aren't good enough. Contains a special additive that cushions gears and resists "squeezing out" under extreme pressure situation. Specially designed to stand up to high temperatures without losing its lubricity.



- LOP-10043 80W-90 1 Qt Non-Syn \$ 9
- LOP-10047 75W-90 1 Qt Synthetic \$15

Extreme Pressure Valve Train Synthetic Grease

Greatly reduces friction on moving parts to prevent galling. Excellent adhesion quality. Excellent on all surfaces requiring an extreme pressure lubricant. Perfect for assembly lube on rod bolts. Protects pushrod ends on initial start up. Essential for roller lifters, rockers, pushrods and camshafts.

- LOP-10563 1 oz Tube \$8



Semi-Synthetic Assembly Lube

Lucas High Performance Assembly Lube is designed for mechanics and technicians to pre lube bearings, cams, lifters and valve train. The Semi-Synthetic formula that contains ZINC, MOLY and other high pressure additives which offer maximum protection during engine break-in. Super slick and easy to use, Lucas High Performance Assembly Lube will eliminate dry starts and prevent seizing galling and scuffing.

- LOP-10153 Assembly Lube 8oz \$8



Same Day, Low Cost
Fast Worldwide Shipping!

www.DragParts.com

Front Offset Drive

Aluminum drive allows one to drive the fuel pump and magneto off the gear drive. Clamps to your fuel pump extension. Gear driven - no belt to replace!



E-4116.M



New

Billet Offset Drives

Accepts Mallory or MSD Mags.
Belt Driven. Includes Bronze Gear.

*Fixed Flange or Adjustable
Clamp Styles.*



Front Pump/
Magneto Drive
(Sitko)

*Ideal if rear blower clearance is a problem.
Minimizes the effects of cam flex on timing.*



- a. RCD-302000-0005 Front
- b. I-2062 Front Drive
- c. T-1016 MSD Support
- d. T-1013 Mag Support Clamp
- e. I-2030 Chevy Offset
- f. I-2040 KB, TFX, BAE
- g. I-2037 Cross Coupler



Specs
Online



*Need
Spark?*

Magneto Assembly

Super Mag III
3.8 amps

Great for supercharged alcohol engines!

Includes: Generator Assembly, Billet Alum Base, Pro Coil, QD Wiring, Instructions and Case.

- M-37-36544 LH Hemi Pro Cap
- M-37-33744 RH 392 Hemi Pro Cap
- M-37-59544 RH Chevy Pro Cap
- M-37-59514 RH Chevy Stack Cap

from **\$1450**
Includes padded
storage case!

Also Available for Fords & Mopar

Billet Magneto Bases

Hemi Straight Base
1Pc Oil Shaft
Premium Bronze Gear
Uses X-Driver



E-7025 \$399



RCD-303000-0015

Hemi Angled Base
1pc Oil Shaft w/ Bronze Gear
Allow Mag to clear Valve Cover



Base w/ Bronze Gear
Stainless-Steel Clamp
X-Driver & Pointer



- M-37365 Chevy Std
- M-37590 Chevy Adj
- M-37337 Early HEMI
- M-37365 426 HEMI



From \$360

Front Drive

Move your Distributor or Mag to the front.

Clamps to Pump Extension.
Uses Std height BBC Base.
Positions magneto behind
blower belt.
Includes Support Bracket.

RCD-302507-0010



Same as unit to the left
though it does **NOT** require a
magneto base. Works with
Mallory or MSD magnetos.

- RCD-302507-0001 CW
- RCD-302507-0002 CCW





Magneto Components



- M-28103A** Advance Lock Out
- M-28995** Rotor (RH) Stack Cap
- M-28995A** Rotor (LH) Stack Cap
- M-29038** Rotor Adapter
- M-29772** Rotor (RH) Pro Cap
- M-29773** Rotor (LH) Pro Cap
- M-29772C** Rotor/Adapter w/ nylon screws
- M-25758M** Premium Contact Points
- M-28005** .56mf (Large) Condenser



*Magneto Parts
Breakdown*



- M-205XB** HEI Stack Cap
- M-29745B** HEI Pro Cap
- M-29744B** Wire Retainer
- M-26007B** 4 Pin Drive Flange
- M-26030** Woodruff Key
- M-28974** Timing Indicator
- M-28862** Wiring Harness



*Huge Selection
of Magneto
Components*

Convert Mallory 4-Pin to X-Driver

Much stronger than the Mallory 4 pins



- I-2016** Adapter Only **\$39**
- I-2037** X-Driver **\$39**
- I-2017** Assembly **\$85**



Spark Plug Wire

8mm Plug Wires are designed to withstand temperatures over 500 degrees. Tinned Copper solid core are for *points magneto* equipped engines.

- I-2222** Most w/ 90 Deg Ends
- I-2212** Hemi w/ Straight Ends
- I-2231** Bulk Wire red (foot)



SUPER-MAG Transformer

COIL is externally mounted making for a more efficient and powerful magneto. HEI style contact terminals resulting in a more positive wire retention.

- M-28900A** SMIII Blown Gas/ Alky
- M-28990** SMV Blown Nitro
- M-28901** SMV Blown 5-10amp
- M-28920** SMV+ Injected Nitro



*Oil
Filled*

Magneto Timing Buzzer

*Necessary To
Set Magneto
Timing*



*Lights &
Buzzes*

I-2098 ... \$88



Online
Instructions

Kill Switches



*Premium
Super Mag
Kill Switch*
M-26074

Designed specifically for Mallory & MSD magnetos. Positive push-off. Internally sealed to prevent corrosion. Single or dual mags.

I-2096 Mallory **I-2097** MSD 44 (**I-2099** Change Over **\$95**)



- MSD-8110** Chevy Hold-Down Clamp
- I-2042** Hemi Hold-Down Clamp
- M-45520** Alum Slip Collar Clamp Hemi
- E-88-135** HEMI Bronze Gear
- I-2073** MSD Chevy .500 Bronze Gear
- I-2070** MALLORY Chevy .491 Bronze



Magneto Clamps Magneto Timing Light



- I-2038** Billet Alum **\$99**
- M-26041A** SS Steel **\$49**

Self Powered
Intense Strobe
Super Bright
Very Accurate

*Works on Mallory
& MSD Magnetos*



MSD-8991

Same Day, Low Cost
Fast Worldwide Shipping!

www.DragParts.com

FACTORY AUTHORIZED STOCKING DEALER



Can We Spark Your Interest??

Pro Mag 20

Great for Blown Alky
Points Box Contains Coil !



Options: Crank Trigger, Timing
Retard, Rev Limiter

MSD-81502 Pro Mag 20 CW

MSD-81602 Pro Mag 20 CCW

MSD-8106 Pro Mag 20 Coil/ Points Box



Pro Mag 44

King of Magnetos

Ideal for Nitro & Top Alcohol
Options: Crank Trigger, Timing
Retard, Rev Limiter



MSD-81307 Pro Mag 44 CW

MSD-81407 Pro Mag 44 CCW

MSD-8147 Points Box w/ Rev Limit



MSD



FIE



MSD-8142 Pro Mag 44 Coil Red

MSD-81423 Pro Mag 44 Coil Black

M-28944B FIE 44 Coil Black

M-28944 FIE 44 Coil Red

M-29321 FIE Coil Bracket

M-8822 Coil Vibrations Mounts



Power Grid System

Fits: 12/20/44



- * Five retard stages for nitrous
- * Shift light settings for each gear
- * Ignition data acquisition accepts multiple runs
- * Crank Trigger system highly recommended
- * Timing based on engine rpm and gear value
- * Output switch set on rpm, pressure or time
- * Advanced individual cylinder timing based on gear or time
- * 4 steps of rpm limits for burnout, launch and over-rev



RPM Activated Switches

Turn devices on or off at desired rpm

I-4150 Activated Switch

MSD-8747 Module Kit

MSD-8739 2-Step Module

MSD-8737 3-Step Module



8.5mm Super Conductor Wire



MSD-31223 Wire Set 90 Deg Ends Black.

MSD-31229 Wire Set 90 Deg Ends Red

MSD-31523 Wire Set HEMI Black

MSD-31529 Wire Set HEMI Red

MSD-34049 Bulk Wire 100ft

MSD-31529 Pro Crimping Tool

Straight & 90 Degree Ends in Stock

Sold Individually, 10 & 100 Packs



*Pricing,
Selection &
Application*



Breather Tanks



This remote 1qt breather/ oil separator easily mounts to a rollbar or firewall. Comes standard with molded-in inserts and a swivel petcock for easy draining.

- JAZ-605-025 AN6
- JAZ-605-825 AN8
- JAZ-605-125 AN10
- JAZ-605-225 AN12
- JAZ-605-001 Blank
- JAZ-605-375 Mini



Radiator Overflow Catch-Cans

One-piece molded construction with swivel elbow input. Lever petcock for easy draining. Meets NHRA rules for 1qt. capacity. Easy mounting with threaded inserts.

JAZ-600-025



Stainless-Steel Overflow



High Luster SS w/
Mounting Bracket

2pt Capacity

- ACC-3120 2 x 19" **\$39**
- ACC-3122 3 x 10"

Race End Cases



Storage case for Ford 9"
Has built-in handles.
Stackable for Transport.

Special Buy! JAZ-700-009-01
\$49!

Fuel Cell Tip-Over Valve

Fuel cell vent prevents fuel spill if tipped upside-down.

- JAZ-834-006 AN6
- JAZ-834-008 AN8



AUTO CLUB FAMOSO
Bakersfield, Ca

Good Vibrations Motorsports is the Official:
"Aftermarket Drag Specialty Wholesaler"
of Auto Club Famoso Raceway (i.e. The Patch)

Pro Mod Fuel Cell

This new **8 gallon** Pro Mod Fuel Cell measures 14"x17" and is 10-1/4" tall at the rear. Its unique shape is well suited to front mount applications. It also features an aircraft style cap assembly and is **SFI certified**.



SFI 28.1

This fuel cell comes standard with:


- Two AN-12 Fast Flow outlet Fittings
- One AN-8 Tip-Over Valve Vent
- Two AN-8 Return lines with an anti-aeration tube attached.

W/ Cap & Fittings
W/ Cap Only (non-sfi)

Funny Car/ Altered Cell

Optional Cap

Specially designed with one AN12 pickup (optional AN16). Has one AN6 on top for venting. Multiple fuel injection lines can be easily installed near the top of this cell.



JAZ-290-112-01 12 Gal

Small Fuel Cells



Cells are designed for applications utilizing gas & alcohol fuel. The 1 gallon features an aircraft style cap, 1/4" petcock fitting for fuel pickup and vent.

- JAZ-230-025-01 1 Quart
- JAZ-230-051-01 2 Quart
- JAZ-230-001-01 1 Gallon



Same Day, Low Cost
Fast Worldwide Shipping!

www.DragParts.com

Dan Olson = For Those That Demand and Require High Quality, Aluminum Oil Pans.



BBC




HEMI

3/8" Billet Rail w/ O-ring, Baffled Windage Tray, Front & Rear Skid Plates.

- O-1240 **BBC** Aluminum Tapered w/ Pickup **\$813**
 - O-1210 Wet Sump **TFX** w/ Pickup **\$782**
 - O-1212 Wet Sump **BAE & KB** w/ Pickup **\$782**
 - O-1202 Pickup W/ Fitting HEMI **\$ 96**
- HEMI Single AN16 Pickup (AN20 Fitting Available)**

Milodon is a name you can trust your oil needs to. Their quality products have been keeping race cars lubed for decades. A great value in Oil Systems.



Oil Pumps

- MIL-18760 BBC Cast Alum w/ 3/4" Pickup Hole
- MIL-21815 BB Mopar/Hemi Wet Sump 19gpm AN12
- MIL-21225 BB Mopar/Hemi Oil Pump Cover Remote mount
- MIL-21503 BB Mopar/Hemi Oil Pump Drive w/ Steel Gear
- MIL-21523 BB Mopar /Hemi Oil Pump Drive w/ Bronze Gear



Oil Pans & Pick Ups

Lightweight Steel, Semi-Circular Windage Tray, Trap Doors, Fits Large Stroke Engines

- MIL-31176 BBC Mark IV Race Full Kick Out 8qt Plus Filter
- MIL-31151 Chrysler BB/Hemi Race 7qt Plus Filter
- MIL-32005 Windage Tray BB Mopar/ Hemi
- MIL-18202 BBC 3/4 Pickup for 31176 Oil Pan
- F-HS-BBC Chromoly Header Stud & 12pt Nut Kit (Set of 16)



Online Prices, Tech & Selection

BILLET Oil Pump Drive

Ideal when Mag is up Front
Adjustable Slip Collar
Bronze Gear



I-2155 Chevy ... **\$185**

OIL Pump Primer

Inserts into Dist Hole
Prime Oil Prior to Startup



I-2030 Most V8 GM .. **\$20**



Over 90% of Nostalgia Funny Cars & Dragsters run System 1 Filters!



Oil Systems & Parts



800/576-7661

Oil Pumps and Filters for Severe Race Applications, especially Blown Alcohol & Top Fuel



Chevy Oil Pumps

Cast Housing
Adjustable Pressure 75-125psi
Bypass Oil Anti-aeration
Use Stock Chevy Pickup
Finest Cast Pump on the Market

SYS-234-900775-2 SB Chevy \$219
SYS-234-900773-2 BB Chevy



HEMI Oil Pumps

Billet 7075-T6 Alum Construction
Low Weight & High Strength
Adjustable Oil Pressure 80-250psi
Bypass Oil Anti-Aeration
1.8 Gear 30 GPM!


SYS-235-900780-2 Wet Sump HEMI \$ 1068

SYS-235-900778-2 Dry Sump w/ Scavenge \$ 2395

Used by 8 out of 10 Professionals!



BILLET Spin On



BILLET Oil Filters & Adapters

- * Spin-On Aluminum Filters
- * Re-usable Stainless Steel Element.
- * Very easy to inspect oil.
- * BILLET Aluminum!




Inline Oil

Need Fuel Filters? See Page 12



Diesel Tractor Pullers

Proven by the Pros, used heavily by Sportsmen Racers



- a. SYS-209-361-B Oil Filter Buna 3.75" \$ 212
- a. SYS-209-571-B Oil Filter Buna 5.75" \$ 249
- b. SS Element 45 or 75 Micron from \$ 69
- c. SYS-201-203700 Inline Oil Filter \$ 139
- d. SYS-221-90004 Remote Mount \$ 169
- e. SYS-220-90006 Remote 1.50" \$ 198
- f. SYS-222-90007 Side Remote \$ 180
- g. SYS-228-90556 Block Adapter \$ 194
- h. SYS-804-75 Diesel Oil Filter \$ 524
- i. SYS-219-0950 Strap Wrench \$ 29
- j. O-Rings BUNA .. \$ 12 VITON .. \$ 17

Huge Selection Online!



Machined from Billet Aluminum and Anodized.

Same Day, Low Cost
Fast Worldwide Shipping!

www.DragParts.com

Check Your Filter Without Opening it!

*Simply look through the glass window for any foreign debris. No need to open filter. **HUGE Time Saver!***



Clearview Oil Filters

- * 6061-T6 Billet Aluminum
- * Clear Anodized for Durability
- * Heat Resistant Sight Window
- * Stainless-Steel Cleanable Filter
- * Patented. * 4 or 6" Diameter



From \$428

- a. **O-3060** 6in Hi-Flow. AN12 Fem Ports up to 70wt Oil
 b. **O-3062** 6in Screw-On. AN12 Fem Ports up to 70wt Oil. Accepts 1 1/2 - 12 thread
 b. **O-3042** 4in Screw-On. AN12 Fem Ports up to 50 wt Oil. Accepts GM thread


Assemblies INCLUDES Mounting Bracket & Hardware!

See How It Works!

Video




BILLET Bracket Assemblies Include Mounting Hardware!



- a **O-3020** 4" Mounting Bracket - Flat Surface
 b **O-3022** 4" Mounting Bracket - Angle Surface
 c **O-3024** 4" Bellhousing Mounting - Chevy
 d **O-3030** 6" Mounting Bracket 2" C-C
The following mounts to O-3030 Bracket...
 e **O-3032** 6" Oberg Pattern Bracket. 2.375 C-C
 e **O-3034** 6" CEBE Bracket. 2.600 C-C
 f **O-3031** 6" Petterson Pattern Bracket. 3-Bolt.

Stainless-Steel Filters



- O-3014-60** Micron 4" **\$36**
O-3014-115 Micron 4"
O-3016-60 Micron 6" **\$42**
O-3016-115 Micron 6"



Viton O-Rings

- O-3016-380** Micron 6"
O-3004 4" Viton **\$10**
O-3006 6" Viton



Sight Glass

- O-3010** 4" ... **\$20**
O-3012 6" ... **\$25**

Block Adapters



BILLET ALUM

Block Adapters are machined from 6061-T6 billet aluminum and will adapt where the stock disposable filters normally mount. Designed for high-flow without restrictions and are threaded for female AN12 O-ring boss fittings. Include o-rings and fasteners.

- O-3070** Chevy **\$137**
O-3070 LS
O-3072 Ford & Dodge
O-3074 Pontiac & Olds
O-3070 Cummins





Apparel &
 Cool Stuff!



800/576-7661

Good Vibrations
 MOTORSPORTS
March Meet

The *Good Vibrations Motorsports March Meet* is a historic race held annually at the famous Auto Club Famoso Raceway in Bakersfield, California. It draws racers and fans from around the world especially Australia, United Kingdom, Europe and Canada.

A Bucket-List event!



Most
\$25

Here's an Exclusive!

Good Vibrations Motorsports
MARCH MEET Shirt

Silkscreened 11 Colors!

100% Pre-shrunk USA Cotton
 Sizes: *Small-3XL*



Mouse Pads

\$10.00

FREE w/ Order

Code:

GVMMP

*Race Results,
 Pictures,
 Videos &
 More!*



Limited Edition Tee Shirts !!



GOD VIBRATIONS logo (Rear)
 ENDERLE logo (Front)

Most **\$20**



*Silkscreened
 6 Colors*

100% Pre-shrunk
 USA Cotton
 Small-3XL



Hats w/ Class

Go out in style with a Good Vibrations Silkscreened Trucker or High Quality Embroidered Flatbill.



Silkscreened
*Trucker
 Style*
 GV-P1004
\$14

Embroidered
Flat-Bill
 GV-P1007 s-m
 GV-P1008 l-xl
\$20

Heavy Duty Shop Aprons

2 Large Pockets
 Embroidered
 Loop Neck
 Tie Back

\$20



Our Mission:

At Dragparts.com, we strive to provide high quality performance products at discount prices without sacrificing customer service.



WE SHIP

WORLDWIDE!

Good Vibrations

8858 Painter Ave, Suite E
Whittier, CA 90602



From Mild Street Rods
to Blown Alky Racing,
We Speak Your Language!

Buy Sell Trade



Online 24/7 www.GoodVibesRacing.com 800/576-7661