

DUJ

SAFETY

Product Catalog



\$3.00

Tiedowns / Tow Straps Hardware & Torque Tube Straps

236101
1" black
tiedown ratchet 8' "S" hooks both ends

236105
1" black
tiedown ratchet 8' frame loop with hook

236201
1-3/4" black
tiedown ratchet 8' hooks both ends

236205
2" black
tiedown ratchet 8' frame loop with hook

237207
2" black
front chassis attachment strap, adjustable
from 12"-48"

236110
1" black
cam buckle tiedown, "S" hooks 8'

237208
2" black
front axle
attachment strap. Adjustable from 12"-72"

237224
237214
2" black attachment straps
24" and 14". Available in pairs

241101
1" low strap
loop and
frame loop ends, 14'

241201
2" low
strap, loop and frame loop ends, 14'

237212
2' attachment strap frame
loop with "D" ring



600100
Eye bolt, nut &
washer (2 per set)



600300
Bolt-in end
fitting (2 per set)



600305
Floor mounting
kit (2 each per set)



600200
2" Snap only
(2 each per set)



600403
3" 3-bar slide
(2 each per set)



600402
2" 3-bar slide
(2 each per set)

Sprint Car Torque Tube Straps

264024
Sprint car
engine sling
two 24" legs with bolt-in tabs

262030
Sprint car
1-3/4" black
torque tube adjustable attached strap

263018
1" drag link
18' long nylon strap

239002
E track clip
with O-ring

200500
Anti-vibration springs
are available on your
roller adjusters to elim-
inate slippage in the tension of your belt.
3" tension springs (4 each in a set).

238044
4" X 4" 5,000lbs
recessed D ring floor
mount



Order Line:

(323) 221-0000



Standard colors available in
Black, Blue, Red, Grey & Purple

Sand Rail & Custom Dune Buggy Belts



2" X 2" Dune Buggy Harness

521102

Lap bolt-in reverse draw, shoulder harness V bolt-in, sewn-in.



2" X 2" Dune Buggy Harness

521302

Lap bolt-in reverse draw, shoulder harness Y wrap-around sewn-in.



3" X 3" Dune Buggy Harness

521302.9

Lap bolt-in reverse draw, shoulder harness V bolt-in sewn-in, sewn-in shoulder pads.



3" X 2" Dune Buggy Harness

551802

Lap 3" bolt-in reverse draw, shoulder harness 2" twin wrap-around, sewn-in.



3" X 2" Dune Buggy Harness

551102

Lap 3" bolt-in reverse draw, shoulder harness 2" V wrap-around, sewn-in.



3" X 2" Dune Buggy Harness

551502

Lap 3" bolt-in reverse draw, shoulder harness 2" Y wrap-around, sewn-in.



Tow Straps

241220 2" wide, 20,000lbs, 20' in length.

241230 2" wide, 20,000lbs, 30' in length.

241320 3" wide, 30,000lbs, 20' in length.

241330 3" wide, 30,000lbs, 30' in length.

Sternum Strap
604000 Sternum Plastic 2" buckle added to the shoulder harness.



Limit Straps
250000 1-3/4" wide limit strap, 2, 3 or 4-ply nylon, 9/16" bolt-in bolt-in fitting both ends, available sizes 10" to 30".

Available in black, blue and red

All Dune Buggy Belts are available in Black, Blue, Red, Grey & Purple



Order Line:
(323) 221-0000



Drag Racing / Funny Car 5-Point Seatbelts

sfi 16-1



3" 5-Point Bolt-In Cam Style Seatbelt

431132

Lap bolt-in reverse draw, shoulder V harness bolt-in anti-submarine wrap-around.



3" 5-Point Snap-In Cam Style Seatbelt

432732

Lap snap-in reverse draw, twin harness snap-in anti-submarine wrap-around.



3" 5-Point Wrap-Around Cam Style Seatbelt

433832

Lap wrap around reverse draw, twin harness wrap-around anti-submarine wrap-around



3" 5-Point T/F & F/C Latch Style Seatbelt

333930.FC

Lap wrap-around with silver & built in latch guard, shoulder loop harness wrap-around with silver anti-submarine wrap-around with silver.



3" 5-Point Sprint Car Latch Style Wrap-Around Seatbelt

333144.LG

Lap wrap-around reverse draw with built-in latch guard & adjuster on left side only, shoulder V harness bolt-in anti-submarine bolt-in adjustable.



3" 5-Point Snap-In Latch Style Seatbelt

332710.LG

Lap snap-in with built-in latch guard, twin shoulder harness snap-in anti-submarine bolt-in.



Order Line:

(323) 221-0000



2623 North San Fernando Road / Los Angeles, Ca 90065 / Fax: (323) 221-0001 / Voice: (323) 221-0000 / www.djsafety.com / E-Mail: info@djsafety.com

Auto Buggy & Jeep

2" Auto Buggy Harness

521503

Lap bolt-In, shoulder harness Y wrap-around with loops. Available in: black, blue, red, gray or purple.



2" Auto Buggy Harness

522503

Lap Snap-In Shoulder harness Y wrap-around with loops. Available in: black, blue, red, gray or purple. Compliant with **DOT FMVSS 209-302**



Shaller Go Kart Seatbelt

521603.9

Go Kart seatbelts. Available in: Black, blue, red, gray, or purple.

2" Y Shoulder Harness

520503

Wrap around with loops. Available in black, blue, red, gray or purple.



3" X 2" Shoulder Harness Pads

602000 2" Cotton Slip-on

603000 3" Cotton Slip-on

Available in black, blue, grey or red.

3" X 2" Jeep Harness

352828

Lap 3" snap-in shoulder harness special 2" Y snap-in with a twin wrap-around anti-submarine snap-in. Available in black, blue, red, gray or purple.



2" Auto Buggy Lap Style Seatbelt

521003 2" bolt-In (shown black) with "Hot Rod" chrome buckle.

522003 2" snap-In (shown red) with "Hot Rod" chrome buckle. Available in black, blue, red, gray or purple. Compliant with **DOT FMVSS 209-302**.

Order Line:

(323) 221-0000



3" & 2" Shoulder Harness Lap & Anti-Submarine Belts

sfi 16-1

330100 3"
320100 2"
V harness
bolt-in



330300 3"
320300 2"
Y harness
bolt-in



330900 3"
320900 2"
loop harness
wrap-around



330600 3"
320600 2"
twin harness
bolt-in



330800 3"
320800 2"
twin harness
wrap-around



331002.LG 3" / **321002.LG** 2"
lap bolt-in reverse draw with latch guard



332002.LG 3" / **322002.LG** 2"
lap snap-in reverse draw with latch guard



331002.LG 3" / **321002.LG** 2"
lap bolt-in reverse draw with latch guard



333002.LG 3" / **323002.LG** 2"
lap wrap-around reverse draw with latch guard



320010



320020



320030



320030



Anti-Submarine Belts

- 320010** 2" bolt-in
- 320020** 2" snap-in
- 320030** 2" wrap-around
- 320040** 2" adjustable & wrap-around
- 320060** 2" dual (6pt) wrap-around
- 320070** 2" three legs (not shown)



Order Line:

(323) 221-0000



Webbing Standard Colors: Red, Blue, Black Gray, Purple. Plus Custom Colors Available

Integral Latch NASCAR

Stock Car Hans Helmet Support 7-Point Latch Style Seatbelt

351675.1G

Lap Reverse Draw with no adjuster on left side (tongue) bolt-in with springs, 2" to 3" twin harness bolt-in with springs. Anti-submarine 7 point bolt-in available in black, blue, red, grey or purple. Accepted for use by NASCAR & other stock car organizations.

Stock Car 3" 5-Point Cam Style Seatbelt

431835

Lap reverse draw with no adjuster on left side (tongue) with springs bolt-in twin harness wrap-around with springs anti-submarine wrap-around. Available in black, blue, red, gray or purple. Accepted for use by NASCAR & other stock car organizations.

Integral Latch Lap Belt

3" Integral Latch lap belt, can be used in place of standard latch with latch guard and can be combined with any 5-point harness system by substituting the number with xxxxx6.

Anti-Submarine Belt

320070 2" 3 legs
(7 pt) bolt-in

Arm Restraints

605000 Arm restraints.

Available in black, blue, red, grey and purple.

Order Line:

(323) 221-0000



Coldfire On-Board Fire System



Cold Fire On-Board Fire Suppression System

All fire bottles have a maximum operating pressure of 1000psi and are manufactured to the DOT specifications of CFR49 DOT 3AL.

Aluminum	5lb	10lb	10lb
Bottle length	15"	19"	21.75"
With Valve	18.125"	22.125"	24.875"
Diameter	4.375"	5.25"	5.25"
System Weight	8.1lbs	15.4lbs	16.2lbs
Bottle Size	150 cu. in.	300 cu. in.	350 cu. in.

Item No.	Description
911050	5lb system no cable
911051	5lb replacement cartridge
911100	10lb system no cable
911101	10lb replacement cartridge

Coldfire is environmentally friendly, non-toxic, non-corrosive, bio-degradable, listed fire extinguishing agent: EPA-SNAP LISTED.



911327
Injector with knob



911328
Injector with cable bracket



911203 3' cable
911206 6' cable
911209 9' cable
911212 12' cable



911329
Pneumatic injector



910405 5lb. 4-3/8"
910410 10lb. 5-1/4"



911329-1
Pneumatic injector with manual over-ride



Order Line:

(323) 221-0000



3-2A/1 Firesuits, Tool Gloves Underwear & Balaclava



Firesuit 1-Layer/1-Piece

- 011122 Red Small
- 011132 Red Medium
- 011142 Red Large
- 011152 Red X-Large
- 011162 Red XX-Large
- 011123 Blue Small
- 011133 Blue Medium
- 011143 Blue Large
- 011153 Blue X-Large
- 011163 Blue XX-Large
- 011129 Black Small
- 011139 Black Medium
- 011149 Black Large
- 011159 Black X-Large
- 011169 Black XX-Large

	S	M	L	XL	XXL
Chest	36-38	40-43	44-48	49-52	53-56
Waist	29-29	30-34	35-39	40-44	45-49
Inseam	27-29	30-31	31-32	31-32	32-34
Sleeve	30-32	31-32	32-33	33-34	33-34
Height	5'8"-5'9"	5'8"-5'9"	5'9"-5'11"	5'11"-6'2"	6'3"



Firesuit 1-Layer/2-Piece

- Pants**
- 011322 Red Small
 - 011332 Red Medium
 - 011324 Red Large
 - 011352 Red X-Large
 - 011362 Red XX-Large
 - 011323 Blue Small
 - 011333 Blue Medium
 - 011343 Blue Large
 - 011353 Blue X-Large
 - 011363 Blue XX-Large
 - 011329 Black Small
 - 011339 Black Medium
 - 011349 Black Large
 - 011359 Black X-Large
 - 011369 Black XX-Large

- Jackets**
- 011222 Red Small
 - 011232 Red Medium
 - 011224 Red Large
 - 011252 Red X-Large
 - 011262 Red XX-Large
 - 011223 Blue Small
 - 011233 Blue Medium
 - 011243 Blue Large
 - 011253 Blue X-Large
 - 011263 Blue XX-Large
 - 011229 Black Small
 - 011239 Black Medium
 - 011249 Black Large
 - 011259 Black X-Large
 - 011269 Black XX-Large



Kids Firesuits

1 piece and
2 piece 3-2A/1
and 3-2A/5
Red, Blue, Black
Size 6 to 16



Nomex Balaclava

- 062000 1-Layer
 - 062002 2-Layer
- One size fits all



Nomex Socks

- 063020 Small
- 063030 Medium
- 063040 Large
- 063050 X-Lg.
- 063060 XX-Lg.



Nomex Underwear

- Top**
- 060020 Small
 - 060030 Medium
 - 060040 Large
 - 060050 X-Large
 - 060060 XX-Large
- Bottom**
- 061020 Small
 - 061030 Medium
 - 061040 Large
 - 061050 X-Large
 - 061060 XX-Large

Order Line:

(323) 221-0000



3-28/5 Firesuits, 3.3.5 Gloves Shoes & Helmet Support

sfi 3-2A/5

Firesuit 2-Piece/2-Layer

Pants

- 012322 Red Small
- 012332 Red Medium
- 012342 Red Large
- 012352 Red X-Large
- 012362 Red XX-Large
- 012323 Blue Small
- 012333 Blue Medium
- 012343 Blue Large
- 012353 Blue X-Large
- 012363 Blue XX-Large
- 012329 Black Small
- 012339 Black Medium
- 012349 Black Large
- 012359 Black X-Large
- 012369 Black XX-Large

Jackets

- 012222 Red Small
- 012232 Red Medium
- 012242 Red Large
- 012252 Red X-Large
- 012262 Red XX-Large
- 012223 Blue Small
- 012233 Blue Medium
- 012243 Blue Large
- 012253 Blue X-Large
- 012263 Blue XX-Large
- 012229 Black Small
- 012239 Black Medium
- 012249 Black Large
- 012259 Black X-Large
- 012269 Black XX-Large

Firesuit 1-Piece/2-Layer

- 012122 Red Small
- 012132 Red Medium
- 012142 Red Large
- 012152 Red X-Large
- 012162 Red XX-Large
- 012123 Blue Small
- 012133 Blue Medium
- 012143 Blue Large
- 012153 Blue X-Large
- 012163 Blue XX-Large
- 012129 Black Small
- 012139 Black Medium
- 012149 Black Large
- 012159 Black X-Large
- 012169 Black XX-Large



Gloves, Black Fire Retardant

- 024029 Small 024039 Medium
 - 024049 Large 024059 X-Large
- Available in black, blue & red



sfi 3.3.5

Gloves, 2-Layer Fire Retardant

- 022022 Red Small
- 022032 Red Medium
- 022042 Red Large
- 022052 Red X-Large
- 022062 Red XX-Large
- 022023 Blue Small
- 022033 Blue Medium
- 022043 Blue Large
- 022053 Blue X-Large
- 022063 Blue XX-Large
- 022029 Black Small
- 022039 Black Medium
- 022049 Black Large
- 022059 Black X-Large
- 022069 Black XX-Large

sfi 3.3.5



Driving Shoes Black Fire Retardant

- 050010 Size 1 050080 Size 8
- 050020 Size 2 050090 Size 9
- 050030 Size 3 050100 Size 10
- 050040 Size 4 050110 Size 11
- 050050 Size 5 050120 Size 12
- 050060 Size 6 050130 Size 13
- 050070 Size 7



sfi 3.3

Helmet Support

- | | |
|--------------|--------------|
| Children | Adult |
| 040102 Red | 040002 Red |
| 040103 Blue | 040003 Blue |
| 040109 Black | 040009 Black |



Order Line:

(323) 221-0000



SFI 3-2A/20 Firesuits, Gloves, Transmission Blankets, Blower Restraints & Diapers



Blower Restraints

- 141000** Small opening (4.0" x 12.25")
- 141100** Large opening (4.43" x 15.06")
- 141200** 6 bolt hole small opening (4.0" x 12.25")
- 141500** Carb Small opening (4.0" x 12.25")
- 141600** B&M Meg Blower Dual-Carb
- 141700** Carbon Inj. opening (4.43" x 9.6")
- 142006** SFI 14-2 small opening (4.0" x 12.25")
- 143101** SFI 14-3 SSI position 1
other configurations are available
please inquire.



sfi 3-2A/20

Firesuit 4-Layer, 1-Piece

- 014129** Black Sm.
- 014139** Black Med.
- 014149** Black Lg.
- 014159** Black X-Lg.

sfi 7-1

Carbon-Fiber Resin Lower Containment Device



- 710001** Dragster
- 710002** Funny Car
- 710003** S/B Chevy
- 710004** B/B Chevy

sfi 7-1

- 711001** Dragster
- 711002** Funny Car
- 711003** S/B Chevy
- 711004** B/B Chevy

sfi 7-2

- 730350** S/B Chevy
- 730426** Hemi
- 730454** B/B Chevy

Flexible Lower Containment Device



Parachutes

Transmission Blankets



- 851252** Super Gas/Comp w/black pack
- 851070** Pro Mod w/silver pack
- 851067** Door Car 180-220
- 851279** T/F w/silver pack
- 851424** Boat Chute


- 801012** Power Glide
- 801124** Lenco
2 Speed with Reverse
- 801152** Lenco
3 Speed with Reverse
- 801162** Lenco
4 Speed with Reverse
- Also B&J and Owens transmissions available




Order Line:

(323) 221-0000






221824
Loops both top and bottom
18" tall X 24" wide



222424
Loops both top and bottom
24" tall X 24" wide




221030
Sprint car driver net, left & right




222232
Super truck drivers
right side



221618
Sports truck drivers
left side net



222215
Super Truck window net loops
both top and bottom, 22" tall X 21" wide



221721
Sportsman window net loops both
top and bottom. 16-1/2" tall X 27" wide.

**All Window Nets Are
SFI 27-1 Certified**

The nets shown on this page are stock items. Customer must provide a cardboard template for any custom net. Available in: black, blue, & red.



Order Line:

(323) 221-0000



Helmet & Helmet Accessories



Full Face Helmet

031210 SA2005, White
031290 SA2005, Black
 Available sizes: XS - XXL



Full Face Helmet With Forced Air

031310 SA2005, White
 Available sizes: XS - XXL



Open Face Helmet

031110 SA2005, White
031190 SA2005, Black
 Available sizes: XS - XXL



Helmet Bag

036010 Black



Gear Bag

070410 Black

Carefully measure around your head, above the ears and about one inch above your eyebrows. Use the helmet chart to the left to determine the correct helmet size. When trying on the helmet the fit needs to be snug, but comfortable for proper protection. Test the fit of the helmet by strapping the helmet on securely and trying to remove the helmet by grasping the back of the helmet and pulling up and forward on it. If the helmet comes off try a smaller helmet size. Then try to move the helmet side to side on your head if you feel excessive movement try a smaller helmet.

Inches	Hat Size	Helmet Size	Metric
21-1/4"	6-3/4"	XX-Small	54
21-5/8"	6-7/8"	XX-Small	55
22"	7"	X-Small	55
22-3/8"	7-1/8"	Small	57
22-3/4"	7-1/4"	Medium	58
23-1/8"	7-3/8"	Medium	59
23-1/2"	7-1/2"	Large	60
23-7/8"	7-5/8"	Large	61
24-1/4"	7-3/4"	X-Large	62
25"	8"	XX-Large	63



Helmet Restraints

606500, 5 straps to chest band.
 For sizing please refer to the chest sizes on the chart on page 9. Available in black, blue or red. Sizes: XS - XL



Helmet Support

040000, Adult one size fits all, available in black, blue or red
040012, Childrens one size fits all, available in black, blue or red



Helmet Shields

036001 Shield, Clear
036002 Shield, light smoke
036003 Shield, dark smoke
036004 Shield, blue iridescent
Tear-Offs
036005 20 per pack



Helmet Skirt

070400, Fire retardent.
 Available in black, blue or red

Order Line:



















(323) 221-0000



Custom Suit Measurement Chart

- Measure carefully with a cloth tape.
- Have someone else measure you while standing in a relaxed position with your normal posture.
- Wear a dress shirt and a comfortable pair of pants. The belt line of the suit will be the same as the pants.

- Do not add or subtract from the measurements you take, we will add according to your desired fit when we make your suit.
- Once measuring has begun do not move clothing.
- Which do you prefer? Snug Average Loose

 <p>A 3" down from the collar, measure sleeve to sleeve on a dress shirt.</p>	 <p>B Measure from spine at base of neck to desired sleeve length with a bent elbows.</p>	 <p>C Chest Circumference.</p>	 <p>D Stomach Circumference at the largest point.</p>	 <p>E Waist Circumference (where your belt will be).</p>
 <p>F Hip Circumference at the largest point.</p>	 <p>G Thigh Circumference (about 2" below crotch).</p>	 <p>H Calf Circumference (about halfway between knees and ankle, at largest point).</p>	 <p>I Inseam (crotch to ankle bone).</p>	 <p>J Arm Pit to ankle bone.</p>
 <p>K Middle of belt in front to the crotch seam of the pants.</p>	 <p>L Middle of belt in front through crotch to middle of belt in back.</p>	 <p>M In front, hollow at base of neck to middle of belt in front.</p>	 <p>N In back, from bone at base of neck to center of belt in back.</p>	 <p>O Measure from front hollow at base of neck through crotch, up spine to base of neck in back.</p>
 <p>P Biceps, the largest measurement of the upper arm.</p>	 <p>Q Forearm, the largest measurement of the lower arm.</p>	 <p>R Neck circumference</p>	<p>Normal Jean Size (Waist x Inseam) _____ X _____</p> <p>Normal Dress Shirt size (Neck x Sleeves) _____ X _____</p> <p>Do You have any fitting problems that we should know about?</p> <p>_____</p> <p>_____</p>	

Height: _____ Weight: _____

Name: _____

Phone Number: _____



Order Line:

(323) 221-0000




2623 North San Fernando Road / Los Angeles, Ca 90065 / Fax: (323) 221-0001 / Voice: (323) 221-0000 / www.djsafety.com / E-Mail: info@djsafety.com

Custom Suit Design Sheet

Designing Your Fire Suit

First feel free to photocopy this page, you may want to play around with your own design ideas. Upon completion you may E-mail, mail or fax your drawing. If you are faxing, please make notes as to the colors, as faxes are black & white.

If you have company logos or other ideas for embroidery, include these. We can use CD's, Zip's, floppies, camera ready artwork, decals, letterheads, etc. Upon receiving your information, we will provide you with a price quote for custom firesuits and crew uniforms.



Order Line:

(323) 221-0000



15

Company Warranty, Terms & Policies

Warranty

Before using any product, read the product warranty and limitation of remedies printed below. If you do not agree with what it says, promptly return the product and your money will be refunded. Use of this product indicates that you accept the terms of the warranty.

WARRANTY & LIMITATIONS OF REMEDIES: DJ Safety, Inc. certifies to the first end-user purchaser that this DJ Safety products are free from defects in material and manufacture under normal use for two (2) years from date of manufacture. If this product is found to be defective in material or manufacturer during this warranty period, DJ Safety's entire liability, and the purchaser's exclusive remedy shall be, at DJ Safety's option (a) repair, or (b) replacement of product, or (c) refund of the purchase price of the product, which is returned to DJ Safety with proof of purchase. If failure of the product has resulted from misuse, abuse, accident, neglect or mishandling, modification of any kind (bending hardware, welding, etc.), DJ Safety shall have no responsibility to repair or replace the product or refund the purchase price.

For warranty service, contact the dealer or DJ Safety.

THIS WARRANTY IS MADE IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. NEITHER DJ Safety NOR ANYONE ELSE WHO HAS BEEN INVOLVED IN THE SALE OR DELIVERY OF THIS PRODUCT SHALL BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL OR CONSEQUENTIAL DAMAGES (INCLUDING DAMAGES FOR LOSS OF PROFITS, REVENUE OR BUSINESS AND THE LIKE) IN ANY WAY RELATED TO THE PRODUCT. THE FOREGOING LANGUAGE CANNOT BE WAIVED, MODIFIED, OR SUPPLEMENTED IN ANY MANNER WHATSOEVER EXCEPT BY A WRITTEN LETTER SIGNED BY OFFICERS OF DJ Safety.

The General Installation Tips of DJ Safety are to be used as guidelines ONLY. The seatbelts must be installed as required by the Sanctioning Associations for the particular vehicle and it's use. All seatbelts, lap belts, shoulder harnesses and anti-submarine belts meet or exceed the revised SFI 16-1 testing specifications. Useful life of the webbing should not exceed two (2) years and it is recommended that they be replaced at or before that time. If these seatbelts are involved in an accident or the webbing shows wear or abuse, return to DJ Safety for inspection or replacement. All hardware on lap belts, shoulder harness and anti-submarine belts are not to be welded on, bent or straightened as this will cause fracture.

GENERAL SEATBELT OPERATION/ADJUSTMENTS: The lap belt must be installed across the lower hip area. The shoulder harness, roller adjuster should be located about 1" above the breast nipple. The anti-submarine belt must be adjusted to keep the lap belt around the lower hip area when the shoulder harness is tightened. Sequence of tighten belts: ALWAYS tighten the lap belt first. Then tighten the shoulder harness. Again, the Anti-submarine belt should not allow the lap belt to move up the hips when tightening the shoulder harness.

Terms & Policies

PRICES & SPECIFICATIONS: All prices are subject to state sales taxes where applicable. All prices & specifications are subject to change without notice. All DJ Safety merchandise meets the appropriate racing association standards as claimed. We cannot guarantee that all items listed in our catalog will continue to be available.

CUSTOM ORDERS: All custom orders must be accompanied by a 50% deposit and a complete information sheet which can either be mailed or Faxed to (323) 221-0001 DJ Safety. No custom orders will be accepted for return, refund or credit.

BACK ORDERS: If there is to be any delay in filling your order, you will be notified or the item (s) will be indicated as back ordered (B/O) on your invoice. All back orders will be canceled after 90 days.

GUARANTEE: All DJ Safety products are guaranteed to be free from defects in workmanship and material. Credit, repair or replacement is given at the factory's option after inspection (refer to returns). Final decision on all returned merchandise remains with the factory.

RETURNS: All returns; a copy of the original invoice must accompany merchandise, within thirty (30) days of invoice date. All authorized returns must include a packing slip or copy of original invoice (s). We will not refuse any reasonable claim; however, we reserve the right to make a 20% handling charge on all merchandise returned for refund, unless defective or shipped in error. All returns must be sent freight pre-paid.

TELEPHONE ORDERS: Telephone orders will be accepted, but written order is preferred by either email sales@djsafety.com or by faxing your order to: (323) 221-0001. We make every effort to ship your order as called in. A 20% handling charge will be made on all returned merchandise 'shipped in error', against a verbal order.

ERRORS/SHORTAGES IN SHIPMENTS: All errors or shortages in shipments must be reported to the factory within 48 hours of receipt merchandise. Automatic deductions from the invoice will not be accepted.

FREIGHT CLAIMS: All merchandise is carefully packed and shipped in good condition. Any claims or damage to goods or shortages should be made to the carrier, not DJ Safety. All packing materials must be presented to the carrier for a claim.

CONDITIONS: The above conditions apply on all orders accepted by DJ Safety, and our sales representatives; no exceptions, written or oral will be considered.

NOTICE: THIS MERCHANDISE IS INTENDED FOR OFF-HIGHWAY USE, MAINLY RACING. THE EFFECTIVENESS WARRANTY AND LONGEVITY OF THIS SAFETY EQUIPMENT ARE RELATED DIRECTLY TO THE MANNER IN WHICH IT IS INSTALLED, USED AND FOR MAINTAINED. WE CANNOT BE RESPONSIBLE FOR THE QUALITY OF INSTALLATION, AND WE ARE NOT RESPONSIBLE FOR DAMAGE OR INJURY, DIRECT OR CONSEQUENTIAL, WHICH MIGHT RESULT FROM CIRCUMSTANCES BEYOND OUR CONTROL. CHECK WITH YOUR SANCTIONING ORGANIZATION REGARDING PREVAILING SAFETY RULES.



2623 N. San Fernando Road / Los Angeles, Ca. 90065



Order Line:

(323) 221-0000



2623 North San Fernando Road / Los Angeles, Ca 90065 / Fax: (323) 221-0001 / Voice: (323) 221-0000 / www.djsafety.com / E-Mail: info@djsafety.com